Calculate Linux - Bug # 132: [LDAP] inconsistent setup

Status:	New	**Priority:**	High
Author:	Dmitry Osintsev	**Category:**	
Created:	02/25/2010	**Assignee:**	
Updated:	11/11/2013	**Due date:**	
Subject:	[LDAP] inconsistent setup		

Description:	/etc/openldap/ldap.conf should contain on both sides (client/server) at least:
	<pre>
	BASE dc=calculate
	URI ldap://192.168.0.1:389/
	                ^^^^^|^^^^^
	                  +------- FQDN or IP of LDAP server
	</pre>
	It gives us working ldap* utilities and let some programmes do LDAP lookups properly (i.e. sshd, su, mountd and such (through nss_ldap))		

History

02/25/2010 12:48 pm - Dmitry Osintsev

Also /etc/ldap.secret should have a password of LDAP servers's DN=ou=Unix,ou=Services,dc=calculate

01/14/2011 11:39 am - Alexander Tratsevskiy

- Assignee set to Alexey Samoukin

06/06/2013 03:00 pm - Dmitry Fomenko

- Assignee deleted (Alexey Samoukin)

- Priority changed from Normal to High

Guys, can we deal with it? Looking not very hard to fix it. Please take a look to the fresh snippet from logs:

Jun 6 13:58:04 ws07 su[15685]: pam_ldap: could not open secret file /etc/ldap.secret (No such file or directory)

06/06/2013 03:25 pm - Dmitry Fomenko

Another one situation caused by this issue:

Jun 6 12:18:43 ws02 zsh: nss_ldap: could not get LDAP result - Can't contact LDAP server
Jun 6 12:19:03 ws02 xscreensaver: nss_ldap: could not search LDAP server - Server is unavailable
Jun 6 12:34:22 ws02 urxvt: nss_ldap: could not search LDAP server - Server is unavailable
Jun 6 12:34:23 ws02 mc: nss_ldap: could not search LDAP server - Server is unavailable
Jun 6 13:06:32 ws02 urxvt: nss_ldap: could not search LDAP server - Server is unavailable

06/06/2013 04:22 pm - Mikhail Hiretsky

Try to remove @/etc/ldap.conf@.