

Calculate Linux - Bug # 241: Ð£Ñ•Ñ,Ð°Ð½Ð¾Ð²Ð° Ð² Ð²ÐµÐ± Ð²ÐµÐ± Ð² Ð²ÐµÐ±

| | | | |
|----------|--|-----------|-------------------------|
| Status: | Closed | Priority: | Normal |
| Author: | Ð°Ñ€ÑÑÑ Ð´ÐµÐ»Ð¾ | Category: | Calculate Linux Desktop |
| Created: | 02/04/2011 | Assignee: | Mikhail Hiretsky |
| Updated: | 02/07/2011 | Due date: | |
| Subject: | Ð£ÑÑÑÐ¶Ð²Ð° ÐºÐ°Ð»ÐµÐºÑÐ»ÑÑÐµÑÐºÐ¾Ð³Ð¾ ÐºÐµÐ½Ð° ÐºÐ°Ð»ÐµÐºÑÐ»ÑÑÐµÑÐºÐ¾Ð³Ð¾ Calculate Desktop 11 | | |

Description: $\mathfrak{D}^{\check{Y}}\check{N}\cdot\check{N},\mathfrak{D}^{\circ}\check{N}\check{Z}\check{N}\cdot\check{N}\check{C}\mathfrak{E}$ $\mathfrak{D}_{\check{Z}}\mathfrak{D}^{\frac{3}{4}}\check{N}\cdot\check{N},\mathfrak{D}^{\circ}\mathfrak{D}^2\mathfrak{D},\check{N},\check{N}\check{C}\mathfrak{E}$ CLD 11, $\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\frac{3}{4}}$ $\mathfrak{D}_{\check{Z}}\check{N}\in\mathfrak{D},$ $\mathfrak{D}\cdot\mathfrak{D}^{\circ}\mathfrak{D}_{\check{Z}}\check{N}f\check{N}\cdot\mathfrak{D}^{\circ}\mathfrak{D}_{\mu}$
 $\check{N}f\check{N}\cdot\check{N},\mathfrak{D}^{\circ}\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}^2\mathfrak{D}^{\circ}\mathfrak{D},$ $\mathfrak{D}_{\check{Z}}\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}\rangle\check{N}f\check{N}\ddagger\mathfrak{D}^{\circ}\check{N}\check{Z}$ $\check{N}\cdot\mathfrak{D}\rangle\mathfrak{D}_{\mu}\mathfrak{D}$ $\check{N}f\check{N}\check{Z}\check{N}^{\circ}\mathfrak{D}_{\mu}\mathfrak{D}_{\mu}:$

```
# cl-install --disk=/dev/sda3:/reiserfs --disk=/dev/sda5:/var/calculate/ -s cld
```

* $\mathbb{D} \mathcal{L} \tilde{\mathbf{N}} \bullet \tilde{\mathbf{N}} \cdot \mathbb{D}^\circ \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}^0 \mathbb{D}^\circ$ Calculate Linux

$$\mathbb{D}_j \mathbb{D}_{\tilde{N}} \bullet \tilde{N}, \mathbb{D}_\mu \mathbb{D}_{1/4} \mathbb{D}_{1/2} \mathbb{D}^\circ \tilde{N} \bullet \mathbb{D}, \mathbb{D}_{1/2} \tilde{N}, \mathbb{D}_{3/4} \tilde{N} \in \mathbb{D}_{1/4} \mathbb{D}^\circ \tilde{N} \vdash \mathbb{D}_{\tilde{N}} \bullet$$

* Đ~Đ¹/₄Ñ•Đ⁰Đ³/₄Đ¹/₄Đ;ÑœÑŽÑ,Đ_μÑ∈Đ°: ws002

* $\mathbb{D}''\mathbb{D}^{3/4}\mathbb{D}^{1/4}\mathbb{D}_u\mathbb{D}^{1/2}\mathbb{D}^{1/2}\mathbb{D}^{3/4}\mathbb{D}_u \mathbb{D} \mathbb{D}^{1/4}\tilde{N}^\bullet$: obrz.adm

* $\mathbb{D}_j \mathbb{D}_\mu \tilde{N}, \mathbb{D}_\mu \mathbb{D}^2 \tilde{N} \langle \mathbb{D}_\mu \tilde{N} f \tilde{N} \bullet \tilde{N}, \tilde{N} \in \mathbb{D}^{\frac{3}{4}} \mathbb{D}^1 \tilde{N} \bullet \tilde{N}, \mathbb{D}^2 \mathbb{D}^\circ$: eth0 (10.10.3.211)

* $\mathbb{D}\mathbb{E}\tilde{\mathbb{N}}\bullet\tilde{\mathbb{N}}.\mathbb{D}^{\circ}\mathbb{D}^{1/2}\mathbb{D}^{3/4}\mathbb{D}^2\mathbb{D}\gg\mathbb{D}\mathbb{U}\mathbb{D}^{1/2}\mathbb{D}^{1/2}\mathbb{D}^{\circ}\tilde{\mathbb{N}}\bullet\tilde{\mathbb{N}}\bullet\mathbb{D}\tilde{\mathbb{N}}\bullet\tilde{\mathbb{N}}.\mathbb{D}\mathbb{U}\mathbb{D}^{1/4}\mathbb{D}^{\circ}$: Calculate Linux Desktop 11.0

$$\mathbb{D} \times \mathbb{D} \pm \mathbb{D}^{3/4} \tilde{N} \in \tilde{N} f \mathbb{D}' \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}^\circ \mathbb{D}^{1/2} \mathbb{D} \quad \mathbb{D} \cup$$
$$* \mathbb{D} \mathbb{C} \mathbb{D} \cdot \mathbb{D} ; \mathbb{D}^{3/4} \mathbb{D} \pm \mathbb{D}^{3/4} \tilde{\mathbb{N}} \tilde{\mathbb{N}} f \mathbb{D}' \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}^{\circ} \mathbb{D}^{1/2} \mathbb{D} \cdot \tilde{\mathbb{N}} \bullet \mathbb{D}^{1/4} \mathbb{D}^{\circ} \tilde{\mathbb{N}}^{\wedge} \mathbb{D} \cdot \mathbb{D}^{1/2} \tilde{\mathbb{N}} ; i686$$
$$^* \mathfrak{D} \dot{\mathfrak{S}} \mathfrak{D}^{3/4} \mathfrak{D} \rangle \mathfrak{D} \tilde{\mathfrak{N}} \dagger \mathfrak{D} \mathfrak{U} \tilde{\mathfrak{N}} \bullet \tilde{\mathfrak{N}} . \mathfrak{D}^2 \mathfrak{D}^{3/4} \mathfrak{D}; \tilde{\mathfrak{N}} \in \mathfrak{D}^{3/4} \tilde{\mathfrak{N}} \dagger \mathfrak{D} \mathfrak{U} \tilde{\mathfrak{N}} \bullet \tilde{\mathfrak{N}} \bullet \mathfrak{D}^{3/4} \tilde{\mathfrak{N}} \in \mathfrak{D}^{3/4} \mathfrak{D}^2: 2$$

* $\mathbb{D}^{\ddot{Y}\tilde{N}} \in \mathbb{D}^3_4 \mathbb{D} \mathbb{D} \cdot \mathbb{D}^2 \mathbb{D}^3_4 \mathbb{D}' \mathbb{D} \tilde{N} \cdot \mathbb{D}_u \mathbb{D} \rangle \tilde{N} \mathbb{C} \mathbb{D}^2 \mathbb{D} \mathbb{D}' \mathbb{D}_u \mathbb{D}^3_4 \mathbb{D}^0 \mathbb{D}^{\circ} \tilde{N} \in \tilde{N} \cdot \tilde{N} \text{; intel}$

* Ð Ð°Ð·Ñ€ÐµÐ½Ð¸Ðµ Ð¾Ð±Ð²ÐµÑÑÐ² Ð¾Ð± Ð¼Ð°ÑÐµÑÐ¸Ð°Ð»Ðµ Ð½Ð° Ð°Ð²ÑÑÐ¸ Ð¾Ð±Ð²ÐµÑÑÐ² Ð¾Ð± Ð¼Ð°ÑÐµÑÐ¸Ð°Ð»Ðå: 1280x960

$$D \rightarrow D^{3/4} D^0 D^0 D \gg D \cdot D^0 \tilde{N} + D \tilde{N} \bullet$$
$$* \mathcal{D}^- \mathcal{D} \cdot \tilde{N} \langle \mathcal{D}^0; \text{ru} \text{ RU}$$

* $\mathbb{D} \mathbb{D}^0 \tilde{N} \bullet \mathbb{D}^0 \mathbb{D} \gg \mathbb{D}^0 \mathbb{D}' \mathbb{D}^0 \mathbb{D}^0 \mathbb{D}^0 \gg \mathbb{D}^0 \mathbb{D}^2 \mathbb{D} \mathbb{D}^0 \tilde{N}. \tilde{N} f \tilde{N} \in \tilde{N} :$ us.ru

* $\mathbb{D} \S \mathbb{D}^\circ \tilde{\mathbb{N}} \bullet \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}^{3/4} \mathbb{D}^1 \mathbb{D} ; \mathbb{D}^{3/4} \tilde{\mathbb{N}} \bullet \tilde{\mathbb{N}} \bullet$: Europe/Moscow

$$\mathbb{D} \cdot \mathbb{D}^\circ \mathbb{D} \cdot \mathbb{D}^{1/4} \mathbb{D} \mathbb{u} \tilde{N}_{00} \mathbb{D} \mathbb{u} \mathbb{D}^{1/2} \mathbb{D} \cdot \mathbb{D} \mathbb{u}$$

* $\mathbb{D}^{\text{“D”}} \gg \mathbb{D}^{\circ} \mathbb{D}^2 \mathbb{D}^{\frac{1}{2}} \mathbb{D}^{\circ} \tilde{\mathbb{N}} \bullet \mathbb{D} \cdot \mathbb{D}^{\circ} \mathbb{D}^3 \tilde{\mathbb{N}} \in \tilde{\mathbb{N}} f \mathbb{D} \cdot \mathbb{D}^{\frac{3}{4}} \tilde{\mathbb{N}} \pm \mathbb{D}^{\frac{1}{2}} \mathbb{D}^{\circ} \tilde{\mathbb{N}} \bullet \mathbb{D} \cdot \mathbb{D}^{\circ} \mathbb{D} ; \mathbb{D} \cdot \tilde{\mathbb{N}} \bullet \tilde{\mathbb{N}} \in (\text{MBR}): / \text{dev/sda} (\text{ATA ST3160815AS})$

[illegible]

```
| 2155MB | /dev/sda1 |      | swap      |      | primary |
```

```
| 10.7GB | /dev/sda3 | / | reiserfs | Ъ"Ъ° | primary |
```

```
| 136GB | /dev/sda5 | /var/calculate/ | reiserfs | | logical |
```

$$\mathbb{D} \subset \mathbb{D}^{3/4} \tilde{N} \pm \mathbb{D}^0 \mathbb{D}, \quad \mathbb{D}^{1/4} \mathbb{D}^{3/4} \mathbb{D}^{1/2} \tilde{N}, \mathbb{D}, \tilde{N} \in \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}^0 \mathbb{D}^{1/2} \mathbb{D}, \tilde{N} \bullet \text{bind}$$
$$| \mathcal{D}^0 \mathcal{D}^1 \tilde{N} \in \mathcal{D}_\mu \mathcal{D}^0 \tilde{N}, \mathcal{D}^{3/4} \tilde{N} \in \mathcal{D} \tilde{N} \bullet \mathcal{D} \tilde{N} \bullet \tilde{N}, \mathcal{D}^{3/4} \tilde{N} \nmid \mathcal{D}^{1/2} \mathcal{D} \mathcal{D}^0 \mid \mathcal{D} \mathcal{D}^{3/4} \tilde{N} \nmid \mathcal{D}^0 \mathcal{D}^0 \mathcal{D}^{1/4} \mathcal{D}^{3/4} \mathcal{D}^{1/2} \tilde{N}, \mathcal{D} \tilde{N} \in \mathcal{D}^{3/4} \mathcal{D}^2 \mathcal{D}^0 \mathcal{D}^{1/2} \mathcal{D} \tilde{N} \bullet |$$

| /var/calculate/home | /home

$$\mathfrak{D}:\mathfrak{D}\cup\tilde{N},\mathfrak{D}\cup\mathfrak{D}^2\tilde{N}\langle\mathfrak{D}\cup\tilde{N}\bullet\mathfrak{D}\cup\tilde{N}\in\mathfrak{D}^2\mathfrak{D}\tilde{N}\bullet\tilde{N}\langle$$
$$* \mathbb{D} \tilde{Y} \tilde{N} \in \mathbb{D}^{3/4} \mathbb{D}^0 \tilde{N} \bullet \mathbb{D} : \mathbb{D}^{1/2} \mathbb{D} \mu \tilde{N}.$$

* NTP: ntp0.zenon.net

$$\mathfrak{D}'\tilde{N}(\mathfrak{D};\mathfrak{D}^{3/4}\mathfrak{D})\gg\mathfrak{D}^{1/2}\mathfrak{D}\mathfrak{D}^{1/4}\mathfrak{D};\tilde{N}\in\mathfrak{D}^{3/4}\mathfrak{D}^2\mathfrak{D}_u\tilde{N}\in\mathfrak{D}^0\mathfrak{D}\mathfrak{D};\mathfrak{D}_u\tilde{N}\in\mathfrak{D}_u\mathfrak{D}'\tilde{N}f\tilde{N}\bullet\tilde{N}.\mathfrak{D}^\circ\mathfrak{D}^{1/2}\mathfrak{D}^{3/4}\mathfrak{D}^2\mathfrak{D}^0\mathfrak{D}^{3/4}\mathfrak{D}^1$$

* $\mathbb{D} \bullet \mathbb{D}^\circ \mathbb{D}^1 \mathbb{D}' \mathbb{D}_u \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^{3/4} \mathbb{D}_\pm \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D} \gg \mathbb{D}_u \mathbb{D}^{1/2} \mathbb{D} \mathbb{D}_u$: Calculate Linux Desktop 11.0 KDE

* $\mathcal{D} \circ \mathcal{D}_\mu \tilde{N} f \mathcal{D}^0 \mathcal{D}^0 \mathcal{D} \cdot \mathcal{D}^0 \mathcal{D}^{\frac{1}{2}} \tilde{N} \langle \tilde{N} \circ \mathcal{D} \rangle \mathcal{D}_\mu \mathcal{D} \tilde{N} f \tilde{N} \tilde{N} \% \mathcal{D} \cdot \mathcal{D}_\mu \mathcal{D}^0 \tilde{N}, \tilde{N} \in \mathcal{D} \cdot \mathcal{D}_\pm \tilde{N} f \tilde{N}, \tilde{N} \langle \text{DataPartition.partitionTable} \rangle$

$$* \quad \mathbb{D} \bullet \mathbb{D}_\mu \tilde{N} f \mathbb{D}' \mathbb{D}^\circ \mathbb{D} \gg \mathbb{D}^{3/4} \tilde{N} \bullet \tilde{N} \mathbb{D} \tilde{N} f \tilde{N} \bullet \tilde{N}, \mathbb{D}^\circ \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D}, \tilde{N}, \tilde{N} \mathbb{D} \tilde{N} \bullet \mathbb{D}, \tilde{N} \bullet \tilde{N}, \mathbb{D}_\mu \mathbb{D}^{1/4} \tilde{N} f$$
[illegible]

Ń•Ń,Đ°Đ²Đ,Ń,Ń•Ń• Đ½Đ,Đ°Đ°Đ° Đ²Đ³⁄₄Đ³⁄₄Đ±Ń%Đμ.

<pre># hdparm -i /dev/sda

/dev/sda:

Model=ST3160815AS, FwRev=4.AAB, SerialNo=9RAATY4T
Config={ HardSect NotMFM HdSw>15uSec Fixed DTR>10Mbs RotSpdTol>.5% }
RawCHS=16383/16/63, TrkSize=0, SectSize=0, ECCbytes=4
BuffType=unknown, BuffSize=8192kB, MaxMultSect=16, MultSect=16
CurCHS=16383/16/63, CurSects=16514064, LBA=yes, LBAsects=312579695
IORDY=on/off, tPIO={min:120,w/IORDY:120}, tDMA={min:120,rec:120}
PIO modes: pio0 pio1 pio2 pio3 pio4
DMA modes: mdma0 mdma1 mdma2
UDMA modes: udma0 udma1 udma2 udma3 udma4 udma5 *udma6
AdvancedPM=no WriteCache=enabled
Drive conforms to: Unspecified: ATA/ATAPI-1,2,3,4,5,6,7

* signifies the current active mode</pre>

<pre># fdisk -l

Đ"Đ,Ń•Đ° /dev/sda: 160.0 Đ"Đ', 160040803840 Đ±Đ°Đ'Ń,
255 heads, 63 sectors/track, 19457 cylinders
Units = Ń†Đ,Đ»Đ,Đ½Đ'Ń€Ń of 16065 * 512 = 8225280 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disk identifier: 0xf9cef9ce

| Đ£Ń•Ń,Ń€-Đ²Đ³⁄₄ | Đ—Đ°Đ³Ń€ | Đ•Đ°Ń†Đ°Đ»Đ³⁄₄ | ĐšĐ³⁄₄Đ½ĐμŃ† | Đ'Đ»Đ³⁄₄Đ°Đ, | Id |
|-----------------|----------|----------------|--------------|-------------------------------|----|
| Đ½Đ,Ń•Ń,ĐμĐ½Đ° | | | | | |
| /dev/sda1 | 1 | 262 | 2104483+ | 82 Linux Ń•Đ²Đ³⁄₄ĐĴ / Solaris | |
| /dev/sda2 * | 263 | 1568 | 10490445 | 83 Linux | |
| /dev/sda3 | 1569 | 2874 | 10490445 | 83 Linux | |
| /dev/sda4 | 2875 | 19457 | 133202947+ | 5 Đ Đ°Ń•Ń°Đ,Ń€ĐμĐ½Đ½Ń°Đ¹ | |
| /dev/sda5 | 2875 | 19457 | 133202916 | 83 Linux</pre> | |

<pre># lspci

00:00.0 Host bridge: Intel Corporation 82G33/G31/P35/P31 Express DRAM Controller (rev 10)
00:02.0 VGA compatible controller: Intel Corporation 82G33/G31 Express Integrated Graphics Controller (rev 10)
00:1b.0 Audio device: Intel Corporation 82801G (ICH7 Family) High Definition Audio Controller (rev 01)
00:1c.0 PCI bridge: Intel Corporation 82801G (ICH7 Family) PCI Express Port 1 (rev 01)
00:1c.1 PCI bridge: Intel Corporation 82801G (ICH7 Family) PCI Express Port 2 (rev 01)
00:1d.0 USB Controller: Intel Corporation 82801G (ICH7 Family) USB UHCI Controller #1 (rev 01)
00:1d.1 USB Controller: Intel Corporation 82801G (ICH7 Family) USB UHCI Controller #2 (rev 01)
00:1d.2 USB Controller: Intel Corporation 82801G (ICH7 Family) USB UHCI Controller #3 (rev 01)
00:1d.3 USB Controller: Intel Corporation 82801G (ICH7 Family) USB UHCI Controller #4 (rev 01)
00:1d.7 USB Controller: Intel Corporation 82801G (ICH7 Family) USB2 EHCI Controller (rev 01)
00:1e.0 PCI bridge: Intel Corporation 82801 PCI Bridge (rev e1)
00:1f.0 ISA bridge: Intel Corporation 82801GB/GR (ICH7 Family) LPC Interface Bridge (rev 01)
00:1f.1 IDE interface: Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01)
00:1f.2 IDE interface: Intel Corporation 82801GB/GR/GH (ICH7 Family) SATA IDE Controller (rev 01)

02/04/2011 02:25 pm - $\mathbb{D} \cdot \tilde{N} \in \tilde{N}, \tilde{N}' \mathbb{D}^{1/4} \mathbb{D}' \mathbb{D} \gg \mathbb{D}^\circ \tilde{N} \cdot \mathbb{D}^{3/4} \mathbb{D}^2$

Description: GUI frontend for the program of installation Calculate Linux

Description: The program of installation Calculate Linux

```
[1] "calculate" /var/lib/layman/calculate</pre>
```

$\mathfrak{D}\mathfrak{E}\tilde{N}\bullet\tilde{N}, \mathfrak{D}^{\circ}\mathfrak{D}^{1/2}\mathfrak{D}^{3/4}\mathfrak{D}^2\mathfrak{D}, \tilde{N}, \mathfrak{D}\mu$ calculate-install 2.2.8-r2.

> $\mathcal{D} \in \tilde{\mathcal{N}} \bullet \tilde{\mathcal{N}}, \mathcal{D}^\circ \mathcal{D}^{1/2} \mathcal{D}^{3/4} \mathcal{D}^2 \mathcal{D}_\bullet \tilde{\mathcal{N}}, \mathcal{D}_\mu$ calculate-install 2.2.8-r2.

$\mathcal{D}ae\mathcal{D}^3\mathcal{D}^3\tilde{N}f \ \mathcal{D}\rangle\mathcal{D},\tilde{N}\tilde{N}\mathcal{D} \ \mathcal{D},\tilde{N}\in\mathcal{D}\mu\mathcal{D}'\mathcal{D}\rangle\mathcal{D}^3\mathcal{D}\mathcal{D},\tilde{N},\tilde{N}\mathcal{D} \ \mathcal{D}^3\mathcal{D}\pm\mathcal{D}^1\mathcal{D}^3\mathcal{D}^2\mathcal{D},\tilde{N},\tilde{N}\mathcal{D} \ \mathcal{D}^3\mathcal{D}\pm\tilde{N}\in\mathcal{D}^{\circ}\mathcal{D}. \ 11 \ \mathcal{D}^2\mathcal{D}\mu\tilde{N}\in\tilde{N}\cdot\mathcal{D},\mathcal{D}, \ \tilde{N}\pm\tilde{N},\mathcal{D}^3\mathcal{D}\pm \ \tilde{N}f \ \mathcal{D}'\tilde{N}\in\tilde{N}f\mathcal{D}^3\mathcal{D},\tilde{N}...$
 $\mathcal{D}^1\mathcal{D}\mu \ \mathcal{D}^2\mathcal{D}^3\mathcal{D}\cdot\mathcal{D}^1\mathcal{D}^2\mathcal{D},\mathcal{D}^{\circ}\mathcal{D}\rangle\mathcal{D}^3\ \tilde{N}\tilde{N},\mathcal{D}^3\mathcal{D}^1 \ \mathcal{D},\tilde{N}\in\mathcal{D}^3\mathcal{D}\pm\mathcal{D}\rangle\mathcal{D}\mu\mathcal{D}^1\tilde{N}\langle. \ \mathcal{D} \ \mathcal{D}\mu\mathcal{D}\rangle\mathcal{D},\mathcal{D}. \ \mathcal{D}^2\tilde{N}\cdot\mathcal{D}\mu\tilde{N},\mathcal{D}^{\circ}\mathcal{D},\mathcal{D}.$

$$\mathbb{D}' \cdot \mathbb{D}^{3/4} \tilde{N} \bullet \tilde{N}, \mathbb{D}^{\circ} \mathbb{D} \gg \tilde{N} \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^{1/4}, \tilde{N} \in \mathbb{D}_{\mu} \tilde{N}^{\wedge} \mathbb{D}_{\mu} \mathbb{D}^{1/2} \mathbb{D}^{3/4}.$$

- Status changed from In Progress to Closed