

|                     |   |                  |                         |
|---------------------|---|------------------|-------------------------|
| <b>Status:</b>      | In Progress   | <b>Priority:</b> | Normal                  |
| <b>Author:</b>      | Robinton Alexey Vasiliev  | <b>Category:</b> | Calculate Linux Scratch |
| <b>Created:</b>     | 04/10/2011  | <b>Assignee:</b> |                         |
| <b>Updated:</b>     | 04/13/2011  | <b>Due date:</b> |                         |
| <b>Subject:</b>     | cl-image iso 1/2Дµ 2Д, 1Д, initramfs  |                  |                         |
| <b>Description:</b> | <p>Ñ·Д, Ñ·Н, ДµД½Д° ÑfÑ·Н, Д°Д½Д¾Д²Д»ДµД½Д° Д² builder Ñ€ДµД¶Д, Д½Дµ Д½Д° Д¶Н·Н·Н, Д°Д, Д¹<br/>Д'Д, Ñ·Д° Д² Ñ€Д°Д·ДµД» sda1</p> <p>Д' cl-builder Д¿Ñ€Д¾Д·Д·Д²ДµД·ДµД½Д¾ Д¾Д±Д½Д¾Д²Д»ДµД½Д, Дµ Ñ·Д, Ñ·Н, ДµД½Д° Д¿Д¾<br/>Д, Д½Д·Н·Н, Ñ€ÑfД°Ñ†Д, Д, Ñ· Н·Д°Д·Н, Д°.</p> <p>(Д² Ñ·Д¾Д½ Н‡Д, Ñ·Д»Дµ Д, Д¾Д±Д½Д¾Д²Д»ДµД½Д, Дµ Д¿Д, Ñ·Д¾Д½Д° Д½Д° 2.7) Д,<br/>Д¾Д±Д½Д¾Д²Д»ДµД½Д, ДµД½ Ñ·Д·Н·Д° Д½Д° 2.6.37.4</p> <p>Д¿Ñ€Д, Д·Ñ·Н...Д¾Д·Дµ Д, Д. Ñ€ДµД¶Д, Д½Д° Д¿Д¾Д»ÑfÑ†Д, Д» Д¿Ñ€ДµД·Д»Д¾Д¶ДµД½Д, Дµ</p>   |                  |                         |
|                     | <p>For used the new kernel in the workspace perform 'cl-kernel --symlink'.</p> <pre>ruspbn0ru0357 boot # cl-kernel --symlink * Д•Дµ ÑfД·Д°Д»Д¾Ñ·ÑŒ Ñ·Д¾Д·Д·Д°Ñ·ÑŒ Ñ·Д, Д½Д²Д¾Д»Д, Ñ‡ДµÑ·Д°ÑfÑŽ Ñ·Н·Н·Д»Д°Ñf Д½Д° Ñ·ДµД°ÑfÑ‰ДµДµ Ñ·Д·Ñ·Д¾: No such file or directory '/boot/initramfs-2.6.37.4-i686-CLD' * Д'Д¾Д·Д½Д¾Д¶Д½Д¾ Ñ·Д·Ñ·Д¾ Д½Дµ Ñ·Д°Д¾Д½Д·Д, Д, Ñ·Д¾Д²Д°Д½Д¾ * Д•Дµ ÑfД·Д°Д»Д¾Ñ·ÑŒ Ñ·Д¾Д·Д·Д°Ñ·ÑŒ Ñ·Д, Д½Д²Д¾Д»Д, Ñ‡ДµÑ·Д°Д, Дµ Ñ·Н·Н·Д»Д°Д, Ñ· uid ruspbn0ru0357 boot #</pre> <p>Д¿Ñ€Д, Д¿Д¾Д¿Ñ·Н, Д°Дµ Д·Д°Д¿Д, Ñ·Д°Ñ·Ñ·Ñ, ДµД½Ñf Д² iso</p> <pre>ruspbn0ru0357 boot # cl-image iso * Д¡Д·Д·Д·Д°Д½Д, Дµ Д¾Д±Ñ·Ñ·Д°Д·Д° Calculate Linux Д¡Д, Ñ·Н, ДµД½Д½Д°Ñ·Д, Д½Д, Д¾Ñ·Ñ·Д½Д·Д°Ñ†Д, Н· * Д¡Д¾Д±Д, Н·Д°ДµД½Д°Ñ·Д, Ñ·Д, Ñ·Н, ДµД½Д°: Calculate Linux Desktop KDE * Д'ДµÑ·Ñ·Д, Ñ· Н·Д, Ñ·Н, ДµД½Д°: 11.3 * Д¢Д, Д¿Д¾Д±Д¾Ñ·ÑfД·Д°Д¾Д²Д½Д, Н·Д½Д°Ñ·Д, Д½Ñ·: i686 * Д¡Д²Д¾Д±Д¾Д·Д½Д¾Дµ Д½ДµÑ·Ñ, Д¾ Д² Ñ·Д°Д·Д·ДµД»Дµ Д·Д»Ñ· Н·Д±Д¾Ñ·Ñ·Д°Д, Д¾Д±Ñ·Ñ·Д°Д·Д°: 5.8G * Д¡Д²Д¾Д±Д¾Д·Д½Д¾Дµ Д½ДµÑ·Ñ, Д¾ Д² Ñ·Д°Д·Д·ДµД»Дµ Д·Д»Ñ· Н·Д±Д¾Ñ·Ñ·Д°Д·Д°: 5.8G Д·Ñ·Д¿Д¾Д»Д½ДµД½Д, Дµ Д¿Ñ€Д¾Д²ДµÑ·Ñ·Д¾Д° * ДžД±Ñ·Ñ·Д°Д·Д±ÑfД·ДµÑ, Н·Д¾Д·Д·Д°Д½ Д²: /var/calculate/linux/cld-20110410-i686.iso * Д'Д·Д~ДœД·Д·Д°Д·: Д¾Д±Ñ·Ñ·Д°Д·Д·Д±ÑfД·ДµÑ, Н·Д¾Д·Д·Д°Д½ Д½Д° Ñ·Д°Д·Д·ДµД»Дµ, Д°Д¾Ñ·Д¾Ñ·Ñ·Ñ·Д°Д¹ Ñ·Д²Д»Ñ·ДµÑ, Н·Ñ·Ñ·Д°Д¾Ñ·Ñ·ДµД?Ñ·Д½ * Д•Дµ ÑfД·Д°Д»Д¾Ñ·ÑŒ Д¾Д±Д½Д°Ñ·ÑfД¶Д, Н·Ñ·ÑŒ initramfs</pre> |                  |                         |

## History

04/11/2011 09:47 am - Mikhail Hiretsky

- Status changed from New to In Progress

ĐšĐ°ĐºĐ, Đμ Đ²ĐμÑ€Ñ•Đ, Đ, \_calculate\_ ÑfÑ, Đ, Đ»Đ, Ñ, Đ, Ñ•Đ; Đ³%Đ»ÑŒĐ.ÑfÑŽÑ, Ñ•Ñ•

```
<pre>eix -cn sys-apps/calculate-</pre>Ð“Ð’Ðµ Ð°Ñ•Ð¿Ð¾Ð»Ð½Ñ•Ð»Ð°Ñ•ÑŒ Ð°Ð¾Ð½Ð°Ð½Ð’Ð° <<cl-kernel --symlink>>? Ð‘ _builder_ ÑÐµÐ½Ðµ Ð½Ðµ Ð’Ð»Ð°Ð¾Ð½Ñ•ÑÐ½Ð¾Ð½?
```

```
<pre>ls -la /boot
```

cl-kernel -vv</pre>

04/13/2011 03:51 am - Robinton Alexey Vasiliev

Д° Н•Д%Д¶Д»ДµД½Д,ÑŽ, Д¿Ñ€Д%Д,Д·Д²Д%Д'Н• Д%Д¿Ñ,Ñ<sup>с</sup> Н• Н•Д,Ñ•Ñ,ДµД½Д%Д'Н fД±Д,Д» ДµÑ'. ДЎД%Д•Ñ,Д°Д²Д,Д» Д½Д°Д'Д,Ñ•Д°Д²Д±Д,Д»Д'ДµÑ€ Н•ДµД¶Д,Д½Дµ cld-20110331-i686.iso  
Д·Д'Ñ~Ñ'Д» Д² cl-builder  
Д'Д°Д»ДµДµ Д¿Д%Д,Д½Ñ•Ñ,Ñ€ÑfД°Ñ†Д,Д, http://www.calculate-linux.ru/main/ru/system\_update\_guide  
layman -s calculate && eix-update  
eix-sync  
emerge world -DuN  
Д¿Д%Д•Д»Дµ Д·Д°Д²ДµÑ€Ñ•ДµД½Д,Ñ• НfÑ•Ñ,Д°Д½Д%Д²Д°Д, Д, Д¿ДµÑ€ДµД·Д°Д³Ñ€ÑfД·Д°Д, Н•Д,Ñ•Ñ,ДµД½Ñ<sup>с</sup> Д¿Д%Д»ÑfÑ‡Д°ÑŽÑ•ДµД'НfÑŽÑ%ДµДµ:  
Д¿Д%ДµД»ÑCE ÑfД¿Ñ€Д°Д²Д»ДµД½Д,Ñ• Д°Д'Дµ Д½Дµ Д²Д,Д'Д,Ñ, Д½Д,Д°Д°Д,Ñ... Д½Д%Д'ÑfД»ДµД'Н, Д½Д%Д%ДµÑ€ Д²ДµÑ€Ñ•Д,Д, Д¿Д,Ñ~ДµÑ, 2.6.1  
knetworkmanager Д½Дµ Д²Д,Д'Д,Ñ, Д½Д, Д¾Д'Д½Д%Д'Н•ДµÑ,ДµД²Д%Д'Н Д°Д°Ñ€Ñ<sup>с</sup>

eix -cn sys-apps/calculate- </code>

[N] sys-apps/calculate-assemble [1] (2.2.13): The utilities for assembling tasks of Calculate Linux

[I] sys-apps/calculate-builder [1] (2.2.12-r2@29.03.2011): The utilities for builder tasks of Calculate Linux

[I] sys-apps/calculate-client [1] (2.2.12@27.03.2011): The program of setting and storing the user account in the domain

[I] sys-apps/calculate-desktop [1] (2.2.12@27.03.2011): The program of the desktop configuration Calculate Linux

[I] sys-apps/calculate-install [1] (2.2.12-r3@13.04.2011): The program of installation Calculate Linux

[I] sys-apps/calculate-lib [1] (2.2.12-r5(2.2)@13.04.2011): The library for Calculate 2

[N] sys-apps/calculate-server [1] (2.1.13-r1): The program for configuring services Linux

[I] sys-apps/calculate-templates [1] (2.2.12-r5@13.04.2011): Templates for calculate utilities 2.2

[I] sys-apps/calculate-utilities [1] (2.2.12-r14@13.04.2011): Calculate Utilities meta package

[1] "calculate" /var/lib/layman/calculate

cl-kernel Д¿Ñ€Д%Д²ДµÑ€Д,Ñ,ÑCE Д½Дµ Д½Д%Д³Ñf Ñ,,Д°. Д²ДµÑ€Ñ•Д,Ñ• Н•Д'Ñ€Д° Д½Дµ Д½ДµД½Ñ•Д»Д°Ñ•ÑCE

Д¥Д%Ñ‡Ñf Д·Д°Д½ДµÑ,Д,ÑCE, Н‡Ñ,Д% Н,Ñ€Д, Д,Д½Ñ,Д°Д»Д»Ñ•Н†Д,Д, Н• Д¿Д%Ñ•Д»ДµД'НfÑŽÑ%оД,Д½Д%Д±Д½Д%Д²Д»ДµД½Д,ДµД½ Д'Д°Д»Д, Ñ•Ñ...Д%Д¶Д,Д'Н fД»ÑCEÑ,Д°Ñ,, Ñ,Д°Д° Н‡Ñ,Д%, Д¿Д% Д°Ñ€Д°Ñ'Д½ДµД'Н 1/ДµÑ€Дµ, Д½Д° Д½Д%Д½Д'Н 1/Д°Д%Д½Д¿ÑCEÑŽÑ,ДµÑ€Дµ ДµÑ•Ñ,ÑCE Ñ•Ñ,Д°Д±Д,Д»ÑCEД½Д°Ñ• Д¿Д%Д²Ñ,Д%Ñ€Ñ•ДµД½Д%Ñ•Ñ,ÑCE.

04/13/2011 03:52 am - Robinton Alexey Vasiliev

Д·Д°Д¿ÑfÑ•Д° Д½Д%Д'НfД»ДµД'Н 1/Д°Д½ДµД»Д, ÑfД¿Ñ€Д°Д²Д»ДµД½Д,Ñ• Д°Д'Дµ Д,Д. Д°Д%Д½Д°Д½Д'Д½Д%Д'Н 1/Н•Ñ,Ñ€Д%Д°Д,Ñ€Д°Д±Д%Ñ,Д°ДµÑ,. Д²Д%Ñ, Д²Ñ,Д°Д%Д' Д°Д%Д½Д'Н•Д%Д%Д»Д,

kcmshell4 kwintabbox

kcmshell(7281)/kcontrol KCMModuleLoader::loadModule: This module still uses K\_EXPORT\_COMPONENT\_FACTORY. Please port it to use KPluginFactory and K\_EXPORT\_PLUGIN.

Application asked to unregister timer 0x2300000c which is not registered in this thread. Fix application.

## Files

|     |        |            |                          |
|-----|--------|------------|--------------------------|
| cl2 | 2.8 KB | 04/10/2011 | Robinton Alexey Vasiliev |
|-----|--------|------------|--------------------------|