

Calculate Linux - Bug # 318: Đ;Đ»ĐμÑ,ĐμĐ» Ñ•Đ.Ñ(Đ° Ñ•Đ.Ñ•Ñ,ĐμĐ¼Ñ(Đ;Đ³¼Ñ•Đ»Đμ Đ³¼Đ±Đ½Đ³¼Đ²Đ»ĐμĐ

Status:	Closed	Priority:	Normal
Author:	Ð Ɔ¼Ɔ'Ɔ,Ɔ¼Ɔ½ Ɔ"Ɔ¼ŃƆƆ¼Ń*Ɔ°ƆµƆ²Ɔ	Category:	Calculate Linux
Created:	06/28/2011	Assignee:	Alexander Tratsevskiy
Updated:	09/22/2011	Due date:	
Subject:	Ɔ¡Ɔ»ƆµŃ,ƆµƆ» Ń•Ɔ.Ń«Ɔ° Ń•Ɔ,Ń•Ń,ƆµƆ¼Ń« Ɔ¿Ɔ¼Ń•Ɔ»Ɔµ Ɔ¼Ɔ±Ɔ½Ɔ¼Ɔ²Ɔ»ƆµƆ½Ɔ,Ń•		
Description:	<p>28.06.2011 Ɔ¼Ɔ±Ɔ½Ɔ²Ɔ,Ɔ» Ɔ¼Ɔ,Ń€, Ɔ¼Ɔ±Ɔ½Ɔ¼Ɔ²Ɔ,Ɔ»Ɔ¼Ń•ŃƆƆ 7 Ɔ¿Ɔ°Ɔ°ƆµŃ,Ɔ¼Ɔ²:</p> <p>dev-perl/XML-LibXML-1.750.0</p> <p>sys-libs/tdb-1.2.9</p> <p>sys-apps/calculate-templates-2.2.17-r8</p> <p>dev-vcs/git-1.7.6</p> <p>sys-devel/binutils-2.21.1</p> <p>sys-apps/openrc-0.8.3-r1</p> <p>sys-apps/calculate-utilities-2.2.17-r12</p> <p>Ɔ, Ɔ¼Ɔ'Ɔ,Ɔ½ Ɔ¿ƆµŃƆƆµŃ•Ɔ¼Ɔ±ŃƆƆ°Ɔ»Ń•Ń• Ɔ¿Ɔ¼Ń•Ɔ»Ɔµ @preserved-rebuild</p> <p>x11-libs/cairo-1.10.2-r1</p> <p>ƆŸƆ¼Ń•Ɔ»Ɔµ Ɔ¿ƆµŃƆƆµƆ•Ɔ°Ɔ³ŃƆŃƆƆ°Ɔ, Ɔ¿ŃƆƆ¼Ɔ¿Ɔ°Ɔ» ŃƆŃƆŃ•Ń•Ɔ°Ɔ,Ɔ' Ń•Ɔ.Ń«Ɔ° Ɔ</p> <p>Ɔ,Ɔ½Ń,ƆµŃƆŃ,ƆµƆ'Ń•Ɔµ.</p> <p>ƆŸŃƆƆµƆ'Ɔ¿Ɔ¼Ɔ»Ɔ¼Ɔ¶Ɔ,Ń,, Ń±Ń,Ɔ¼ Ɔ½ƆµŃƆƆ'Ɔ°Ń±Ɔ½Ɔ¼ Ń•Ɔ'ƆµƆ»Ɔ°Ɔ» etc-update Ɔ,</p> <p>ŃƆƆµŃ•Ɔ,Ɔ» Ń•Ɔ±ŃƆƆ¼Ń•Ɔ,Ń,ŃƆƆ Ɔ½Ɔ°Ń•Ń,ŃƆƆ¼Ɔ°Ɔ, Ń•Ń,Ɔ°Ɔ½Ɔ'Ɔ°ŃƆŃ,Ɔ½Ń«Ɔ¼ Ɔ¿ŃƆŃ,ƆµƆ¼:</p> <p># cl-install --live</p> <p>* Command not found 'ip'</p>		

History

```
06/28/2011 10:31 pm - D D%D D,D%D½ D"D%DÑ€D%Ñ`D°DµD²D,Ñ‡
D¿D%D¿Ñ‹Ñ,D°D° Ñ•D`DµD»D°Ñ,ÑCE Ñ,D%¿D¶Dµ Ñ• D¿D%D½¿D%Ñ%ÑCEÑŽ cl-template:
# cl-template --locate all
* Can not installed calculate-install
* To install the program, run 'cl-install --install'
# cl-install --install
* Command not found 'ip'
```

[illegible]

06/29/2011 09:16 am - Mikhail Hiretsky

06/29/2011 03:05 pm - 𐄂𐄃𐄅𐄆𐄇𐄈𐄉𐄊𐄋𐄌𐄍𐄎𐄏𐄐𐄑𐄒𐄓𐄔𐄕𐄖𐄗𐄘𐄙𐄚𐄛𐄜𐄝𐄞𐄟𐄠𐄡𐄢𐄣𐄤𐄥𐄦𐄧𐄨𐄩𐄪𐄫𐄬𐄭𐄮𐄯𐄰𐄱𐄲𐄳𐄴𐄵𐄶𐄷𐄸𐄹𐄺𐄻𐄼𐄽𐄾𐄿𐅀𐅁𐅂𐅃𐅄𐅅𐅆𐅇𐅈𐅉𐅊𐅋𐅌𐅍𐅎𐅏𐅐𐅑𐅒𐅓𐅔𐅕𐅖𐅗𐅘𐅙𐅚𐅛𐅜𐅝𐅞𐅟𐅠𐅡𐅢𐅣𐅤𐅥𐅦𐅧𐅨𐅩𐅪𐅫𐅬𐅭𐅮𐅯𐅰𐅱𐅲𐅳𐅴𐅵𐅶𐅷𐅸𐅹𐅺𐅻𐅼𐅽𐅾𐅿𐆀𐆁𐆂𐆃𐆄𐆅𐆆𐆇𐆈𐆉𐆊𐆋𐆌𐆍𐆎𐆏𐆐𐆑𐆒𐆓𐆔𐆕𐆖𐆗𐆘𐆙𐆚𐆛𐆜𐆝𐆞𐆟𐆠𐆡𐆢𐆣𐆤𐆥𐆦𐆧𐆨𐆩𐆪𐆫𐆬𐆭𐆮𐆯𐆰𐆱𐆲𐆳𐆴𐆵𐆶𐆷𐆸𐆹𐆺𐆻𐆼𐆽𐆾𐆿𐇀𐇁𐇂𐇃𐇄𐇅𐇆𐇇𐇈𐇉𐇊𐇋𐇌𐇍𐇎𐇏𐇐𐇑𐇒𐇓𐇔𐇕𐇖𐇗𐇘𐇙𐇚𐇛𐇜𐇝𐇞𐇟𐇠𐇡𐇢𐇣𐇤𐇥𐇦𐇧𐇨𐇩𐇪𐇫𐇬𐇭𐇮𐇯𐇰𐇱𐇲𐇳𐇴𐇵𐇶𐇷𐇸𐇹𐇺𐇻𐇼𐇽𐇾𐇿𐈀𐈁𐈂𐈃𐈄𐈅𐈆𐈇𐈈𐈉𐈊𐈋𐈌𐈍𐈎𐈏𐈐𐈑𐈒𐈓𐈔𐈕𐈖𐈗𐈘𐈙𐈚𐈛𐈜𐈝𐈞𐈟𐈠𐈡𐈢𐈣𐈤𐈥𐈦𐈧𐈨𐈩𐈪𐈫𐈬𐈭𐈮𐈯𐈰𐈱𐈲𐈳𐈴𐈵𐈶𐈷𐈸𐈹𐈺𐈻𐈼𐈽𐈾𐈿𐉀𐉁𐉂𐉃𐉄𐉅𐉆𐉇𐉈𐉉𐉊𐉋𐉌𐉍𐉎𐉏𐉐𐉑𐉒𐉓𐉔𐉕𐉖𐉗𐉘𐉙𐉚𐉛𐉜𐉝𐉞𐉟𐉠𐉡𐉢𐉣𐉤𐉥𐉦𐉧𐉨𐉩𐉪𐉫𐉬𐉭𐉮𐉯𐉰𐉱𐉲𐉳𐉴𐉵𐉶𐉷𐉸𐉹𐉺𐉻𐉼𐉽𐉾𐉿𐊀𐊁𐊂𐊃𐊄𐊅𐊆𐊇𐊈𐊉𐊊𐊋𐊌𐊍𐊎𐊏𐊐𐊑𐊒𐊓𐊔𐊕𐊖𐊗𐊘𐊙𐊚𐊛𐊜𐊝𐊞𐊟𐊠𐊡𐊢𐊣𐊤𐊥𐊦𐊧𐊨𐊩𐊪𐊫𐊬𐊭𐊮𐊯𐊰𐊱𐊲𐊳𐊴𐊵𐊶𐊷𐊸𐊹𐊺𐊻𐊼𐊽𐊾𐊿𐋀𐋁𐋂𐋃𐋄𐋅𐋆𐋇𐋈𐋉𐋊𐋋𐋌𐋍𐋎𐋏𐋐𐋑𐋒𐋓𐋔𐋕𐋖𐋗𐋘𐋙𐋚𐋛𐋜𐋝𐋞𐋟𐋠𐋡𐋢𐋣𐋤𐋥𐋦𐋧𐋨𐋩𐋪𐋫𐋬𐋭𐋮𐋯𐋰𐋱𐋲𐋳𐋴𐋵𐋶𐋷𐋸𐋹𐋺𐋻𐋼𐋽𐋾𐋿𐌀𐌁𐌂𐌃𐌄𐌅𐌆𐌇𐌈𐌉𐌊𐌋𐌌𐌍𐌎𐌏𐌐𐌑𐌒𐌓𐌔𐌕𐌖𐌗𐌘𐌙𐌚𐌛𐌜𐌝𐌞𐌟𐌠𐌡𐌢𐌣𐌤𐌥𐌦𐌧𐌨𐌩𐌪𐌫𐌬𐌭𐌮𐌯𐌰𐌱𐌲𐌳𐌴𐌵𐌶𐌷𐌸𐌹𐌺𐌻𐌼𐌽𐌾𐌿𐍀𐍁𐍂𐍃𐍄𐍅𐍆𐍇𐍈𐍉𐍊𐍋𐍌𐍍𐍎𐍏𐍐𐍑𐍒𐍓𐍔𐍕𐍖𐍗𐍘𐍙𐍚𐍛𐍜𐍝𐍞𐍟𐍠𐍡𐍢𐍣𐍤𐍥𐍦𐍧𐍨𐍩𐍪𐍫𐍬𐍭𐍮𐍯𐍰𐍱𐍲𐍳𐍴𐍵𐍶𐍷𐍸𐍹𐍺𐍻𐍼𐍽𐍾𐍿𐎀𐎁𐎂𐎃𐎄𐎅𐎆𐎇𐎈𐎉𐎊𐎋𐎌𐎍𐎎𐎏𐎐𐎑𐎒𐎓𐎔𐎕𐎖𐎗𐎘𐎙𐎚𐎛𐎜𐎝𐎞𐎟𐎠𐎡𐎢𐎣𐎤𐎥𐎦𐎧𐎨𐎩𐎪𐎫𐎬𐎭𐎮𐎯𐎰𐎱𐎲𐎳𐎴𐎵𐎶𐎷𐎸𐎹𐎺𐎻𐎼𐎽𐎾𐎿𐏀𐏁𐏂𐏃𐏄𐏅𐏆𐏇𐏈𐏉𐏊𐏋𐏌𐏍𐏎𐏏𐏐𐏑𐏒𐏓𐏔𐏕𐏖𐏗𐏘𐏙𐏚𐏛𐏜𐏝𐏞𐏟𐏠𐏡𐏢𐏣𐏤𐏥𐏦𐏧𐏨𐏩𐏪𐏫𐏬𐏭𐏮𐏯𐏰𐏱𐏲𐏳𐏴𐏵𐏶𐏷𐏸𐏹𐏺𐏻𐏼𐏽𐏾𐏿𐐀𐐁𐐂𐐃𐐄𐐅𐐆𐐇𐐈𐐉𐐊𐐋𐐌𐐍𐐎𐐏𐐐𐐑𐐒𐐓𐐔𐐕𐐖𐐗𐐘𐐙𐐚𐐛𐐜𐐝𐐞𐐟𐐠𐐡𐐢𐐣𐐤𐐥𐐦𐐧𐐨𐐩𐐪𐐫𐐬𐐭𐐮𐐯𐐰𐐱𐐲𐐳𐐴𐐵𐐶𐐷𐐸𐐹𐐺𐐻𐐼𐐽𐐾𐐿𐑀𐑁𐑂𐑃𐑄𐑅𐑆𐑇𐑈𐑉𐑊𐑋𐑌𐑍𐑎𐑏𐑐𐑑𐑒𐑓𐑔𐑕𐑖𐑗𐑘𐑙𐑚𐑛𐑜𐑝𐑞𐑟𐑠𐑡𐑢𐑣𐑤𐑥𐑦𐑧𐑨𐑩𐑪𐑫𐑬𐑭𐑮𐑯𐑰𐑱𐑲𐑳𐑴𐑵𐑶𐑷𐑸𐑹𐑺𐑻𐑼𐑽𐑾𐑿𐒀𐒁𐒂𐒃𐒄𐒅𐒆𐒇𐒈𐒉𐒊𐒋𐒌𐒍𐒎𐒏𐒐𐒑𐒒𐒓𐒔𐒕𐒖𐒗𐒘𐒙𐒚𐒛𐒜𐒝𐒞𐒟𐒠𐒡𐒢𐒣𐒤𐒥𐒦𐒧𐒨𐒩𐒪𐒫𐒬𐒭𐒮𐒯𐒰𐒱𐒲𐒳𐒴𐒵𐒶𐒷𐒸𐒹𐒺𐒻𐒼𐒽𐒾𐒿𐓀𐓁𐓂𐓃𐓄𐓅𐓆𐓇𐓈𐓉𐓊𐓋𐓌𐓍𐓎𐓏𐓐𐓑𐓒𐓓𐓔𐓕𐓖𐓗𐓘𐓙𐓚𐓛𐓜𐓝𐓞𐓟𐓠𐓡𐓢𐓣𐓤𐓥𐓦𐓧𐓨𐓩𐓪𐓫𐓬𐓭𐓮𐓯𐓰𐓱𐓲𐓳𐓴𐓵𐓶𐓷𐓸𐓹𐓺𐓻𐓼

```

Ð£Ñ•Ñ,Ð°Ð½°Ð¾°Ð²Ð»»Ð¼Ð½°Ð° CLS, iproute2 Ð½°Ð¼ ÑƒÑ•Ñ,Ð°Ð½°Ð¾°Ð²Ð»»Ð¼Ð½°.
Ð£Ñ•Ñ,Ð°Ð½°Ð¾°Ð²Ð»»Ð½», Ñ,Ð¼Ð¿,Ð¼Ñ•Ñ•Ñ• Ð¾°Ñ•Ð½°Ð½°Ñ,Ð°Ð°Ð°Ñ•:


```

cl-install --live
* Package installation
* Link calculate-install to package configuration ...

```


```

Incorrect template: /usr/share/calculators/templates/install/1merge/portage/make.conf

[!!]

[ok]

</pre>

cl-install -vv:

<http://pastebin.calculate-linux.org/en/show/1269>

[illegible]

- Target version deleted (11.6)

[illegible]

```


```

```
echo "LANG=\"ru_RU.UTF-8\" >> /etc/env.d/02locale
```

```
echo "LC_NUMERIC=POSIX" >> /etc/env.d/02locale
```

env-update

```
source /etc/profile
```

locale

</pre>

$$\mathfrak{D}\tilde{\mathfrak{Y}}\mathfrak{D}^{3/4}\tilde{\mathfrak{N}}\bullet\mathfrak{D}\gg\mathfrak{D}_{\mu}\mathfrak{D}'\mathfrak{D}^{1/2}\mathfrak{D}\cdot\mathfrak{D}^1\mathfrak{D}^2\tilde{\mathfrak{N}}\langle\mathfrak{D}^2\mathfrak{D}^{3/4}\mathfrak{D}'\mathfrak{D}^{3/4}\tilde{\mathfrak{N}},\text{ locale }\mathfrak{D}'\mathfrak{D}^{3/4}\mathfrak{D}\gg\mathfrak{D}\P\mathfrak{D}_{\mu}\mathfrak{D}^{1/2}\mathfrak{D}_{\pm}\tilde{\mathfrak{N}}\langle\tilde{\mathfrak{N}},\tilde{\mathfrak{N}}\mathfrak{O}\tilde{\mathfrak{N}},\mathfrak{D}^{\circ}\mathfrak{D}^0\mathfrak{D}\cdot\mathfrak{D}^{1/4}:$$

```


```

LANG=ru RU.UTF-8

LC CTYPE="ru RU.UTF-8"

LC_NUMERIC=POSIX

LC TIME="ru RU.UTF-8"

LC COLLAB="ru RU.UTF-8"

LC MONETARY="ru RU.UTF-8"

LC_MESSAGES="ru RU.UTF-8"

LC_PAPER="ru_RU.UTF-8"

LC NAME="ru RU.UTF-8"

LC_ADDRESS="ru RU.UTF-8"

LC TELEPHONE="ru RU.UTF-8"

LC MEASUREMENT="ru RU.UTF-8"

LC IDENTIFICATION="ru RU.UTF-8"

LC ALL=

</pre>

$$\begin{aligned} & \Theta^{\circ}\Theta^{\circ}\mathcal{D}\rightarrow\tilde{N}\mathbb{C}\tilde{N}'\otimes\mu_{\text{reboot}}\quad\mathcal{D}_s\quad\mathcal{D}^2\tilde{N}\cdot\mathcal{D}\mu\quad\tilde{N}\in\tilde{N}f\tilde{N}\cdot\tilde{N}\cdot\mathcal{D}^{\circ}\mathcal{D}_{\%}-\mathcal{D}_{\frac{1}{2}}\mathcal{D}^{\circ}\mathcal{D}\cdot\mathcal{D}^2\mathcal{D}^{\circ}\mathcal{D}_{\frac{1}{2}}\mathcal{D}_{\frac{1}{2}}\tilde{N}\langle\mathcal{D}\mu\quad\mathcal{D}_{\zeta}\mathcal{D}^{\circ}\mathcal{D}_{\zeta}\mathcal{D}^{\circ}\mathcal{D}_j/\tilde{N},\mathcal{D}^{\circ}\mathcal{D}^{\circ}\mathcal{D}\rightarrow\tilde{N}\langle\quad\mathcal{D}_{\zeta}\tilde{N}\in\mathcal{D}_s\tilde{N}\dots\mathcal{D}_{\%}\mathcal{D}'\tilde{N}\cdot\tilde{N},\quad\mathcal{D}^2 \\ & \tilde{N}\pm\mathcal{D}\mu\mathcal{D}\rangle\mathcal{D}_{\%}\mathcal{D}^2\mathcal{D}\mu\tilde{N}\pm\mathcal{D}\mu\tilde{N}\cdot\mathcal{D}^{\circ}\mathcal{D}\quad\mathcal{D}^{\circ}\quad\mathcal{D}^{\circ}\mathcal{D}\quad\mathcal{D}'. \end{aligned}$$

- Status changed from New to Closed

