

Calculate Linux - Feature # 36: Disable reiserfs debug mode (REISERFS_CHECK=n)

Ð¡Ñ,Ð°Ñ,ÑÑÑ:	Closed	ÐŸÑ€Ð,Ð³Ñ€Ð,Ñ,ÐµÑÑNormal
Ð•Ð²Ñ,Ð³Ñ€:	Dmitry Osintsev	ÐšÐ°Ñ,ÐµÐ³Ñ€Ñ€ÑCalculate Linux
Ð¡Ð³Ð•Ð°Ð°Ð°:	29.12.2009	Ð•Ð°Ð•Ð½Ð°Ñ†ÐµÐ½Ð°:
ÐžÐ±Ð½Ð³Ð°Ð»ÐµÐ½12.2009		Ð²Ð°Ñ,Ð° Ð²Ñ«Ð³Ð»»Ð½ÐµÐ½Ñ:
Ð•ÐµÐ½Ð°Ð°:	Disable reiserfs debug mode (REISERFS_CHECK=n)	
ÐžÐ»Ð»Ñ•Ð°Ð°Ðµ:	<pre><pre> If you are on the verge of sending in a bug report, say Y and you might get a useful error message. Almost everyone should say N. </pre></pre>	

ÐÑÑ,Ð³Ñ€ÑÑ

Ð²Ñ., 29 ÐµÐµÐ°. 2009, 12:12:38 +0300 - Alexander Tratsevskiy
- ÐŸÐ°Ñ€Ð³ÐµÑÑ,Ñ€ Ð¡Ñ,Ð°Ñ,ÑÑÑÑ• Ð•Ð³ÐµÐ½ÐµÐ½ÑÑÑÑÑ• New Ð½Ð° Closed

Ð²Ñ., 29 ÐµÐµÐ°. 2009, 12:17:35 +0300 - Alexander Tratsevskiy
Will be corrected, thank you!