

Calculate Linux - Support # 399: lTalc 1.0.9 ĐŁÑЄĐ³¼Đ±Đ»ĐµĐ¹¼ÑŁÑ•ÑŒÑ•Ñ,Đ°Đ¹²Đ³¼Đ²Đ°Đ³¼Đ¹Đ² CLDX-11

$\mathfrak{D}_1\tilde{\mathfrak{N}},\mathfrak{D}^{\circ}\tilde{\mathfrak{N}},\tilde{\mathfrak{N}}f\tilde{\mathfrak{N}}\bullet:$	Closed	$\mathfrak{D}\tilde{\mathfrak{Y}}\tilde{\mathfrak{N}}\in\mathfrak{D},\mathfrak{D}^{\frac{3}{4}}\tilde{\mathfrak{N}}\in\mathfrak{D},\tilde{\mathfrak{N}},\mathfrak{D}_{\mu}\tilde{\mathfrak{N}};$ high
$\mathfrak{D}\bullet\mathfrak{D}^2\tilde{\mathfrak{N}},\mathfrak{D}^{\frac{3}{4}}\tilde{\mathfrak{N}}\in:$	$\mathfrak{D}\bullet\mathfrak{D}^2\mathfrak{D}^3\mathfrak{D}_{\mu}\mathfrak{D}^{\frac{1}{2}}\mathfrak{D},\mathfrak{D}^1\ \mathfrak{D}\S\tilde{\mathfrak{N}}f\mathfrak{D}^3\mathfrak{D}^{\circ}\mathfrak{D},\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}^2$	$\mathfrak{D}\mathfrak{S}\mathfrak{D}^{\circ}\tilde{\mathfrak{N}},\mathfrak{D}_{\mu}\mathfrak{D}^3\mathfrak{D}^{\frac{3}{4}}\tilde{\mathfrak{N}}\in\mathfrak{D},\tilde{\mathfrak{N}}\bullet$ Calculate Linux Desktop KDE
$\mathfrak{D}_1\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}\cdot\mathfrak{D}\cdot\mathfrak{D}^{\circ}\mathfrak{D}^{\frac{1}{2}}:$	01.02.2012	$\mathfrak{D}\bullet\mathfrak{D}^{\circ}\mathfrak{D}\cdot\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\circ}\tilde{\mathfrak{N}}\ddagger\mathfrak{D}_{\mu}\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\circ}$ Dmitry Fomenko
$\mathfrak{D}\mathfrak{Z}\mathfrak{D}\pm\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}^2\mathfrak{D}\rangle\mathfrak{D}_{\mu}\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}^{\frac{3}{4}}$	08.2012	$\mathfrak{D}''\mathfrak{D}^{\circ}\tilde{\mathfrak{N}},\mathfrak{D}^{\circ}\ \mathfrak{D}^2\tilde{\mathfrak{N}}\langle\mathfrak{D},\mathfrak{D}^{\frac{3}{4}}\mathfrak{D}\rangle\mathfrak{D}^{\frac{1}{2}}\mathfrak{D}_{\mu}\mathfrak{D}^{\frac{1}{2}}\mathfrak{D},\tilde{\mathfrak{N}}\bullet:$

ĐđĐμĐ¹/₄Đ°: ITalc 1.0.9 ĐđÑĐĐ³/₄Đ±Đ»ĐμĐ¹/₄Ñ« Ñ• ÑfÑ•Ñ•Ñ•Đ°Đ¹/₂Đ³/₄Đ²Đ°Đ³/₄Đ¹ Đ² CLDX-11.9-i686 Đ, Đ² CLD-11.9-x86-6

```

x86_64-pc-linux-gnu-g++ -DHAVE_CONFIG_H -I. -I.. -I./x11 -I./x11/x11vnc -I./x11/libvncserver
-I./../lib/include -I./../lib/include/rfb -I./src -I.. -O2 -march=x86-64 -pipe -I/usr/include -I/usr/include
-I/usr/include/qt4 -I/usr/include/qt4/Qt -D_REENTRANT -DQT_NO_DEBUG -DQT_CORE_LIB
-DQT_XML_LIB -DQT_THREAD_SUPPORT -O2 -DBUILD_ICA -O2 -march=x86-64 -pipe -I/usr/include -g
-O2 -Wall -fPIC -fno-strict-aliasing -MT ica_qrc.o -MD -MP -MF .deps/ica_qrc.Tpo -c -o ica_qrc.o `test -f
'/ica_qrc.cpp' || echo './'`.ica_qrc.cpp
mv -f .deps/ica_qrc.Tpo .deps/ica_qrc.Po
x86_64-pc-linux-gnu-gcc -DHAVE_CONFIG_H -I. -I.. -I./x11 -I./x11/x11vnc -I./x11/libvncserver
-I./../lib/include -I./../lib/include/rfb -I./src -I.. -O2 -march=x86-64 -pipe -I/usr/include -I/usr/include -O2
-DBUILD_ICA -DVNCSHARED -DFOREVER -DNOREPEAT=0 -DNOPW=1 -DREMOTE_CONTROL=0
-DEXTERNAL_COMMANDS=0 -DFILEXFER=0 -DNOGUI -DSMALL_FOOTPRINT=1 -w -O2
-march=x86-64 -pipe -I/usr/include -g -O2 -Wall -fPIC -fno-strict-aliasing -MT x11vnc.o -MD -MP -MF
.deps/x11vnc.Tpo -c -o x11vnc.o `test -f './x11/x11vnc.c' || echo './'`.x11/x11vnc.c
In file included from ./x11/x11vnc/remote.c:21:0,
        from ./x11/x11vnc.c:10:
./x11/x11vnc/pointer.h:10:13:      0%N^D,0±0°D°:      â€˜pointerâ€™™      0¿D¾D²Ñ,D¾Ñ€D½D¾
D'ĐµĐ°D»D°Ñ€D,Ñ€D¾D°D°½ D°D°D° Ñ•D,Đ¼D²D¾D» D'Ñ€ÑfD³D¾D³D¾ D²D,Đ'D°
/usr/include/X11/Xdefs.h:53:15:      D-D°D¼ĐµÑ‡D°D½D,Đµ:      D-D'ĐµÑ•Ñ€      D±Ñ'Đ»D°
D¿Ñ€ĐµĐ'Ñ'Đ'ÑfÑ%Đ°Ñ• D'ĐµĐ°D»D°Ñ€D°Ñ†D,Ñ• â€˜pointerâ€™™
make[3]: *** [x11vnc.o] DžÑ^D,Đ±D°D° 1
make[3]:      D'Ñ'Ñ...D¾D'      D,Đ.      D°D°Ñ,D°D»D¾D³D°
`/var/calculate/tmp/portage/net-misc/italc-1.0.9/work/italc-1.0.9/ica'
make[2]: *** [all] DžÑ^D,Đ±D°D° 2
make[2]:      D'Ñ'Ñ...D¾D'      D,Đ.      D°D°Ñ,D°D»D¾D³D°
`/var/calculate/tmp/portage/net-misc/italc-1.0.9/work/italc-1.0.9/ica'
make[1]: *** [all-recursive] DžÑ^D,Đ±D°D° 1
make[1]:      D'Ñ'Ñ...D¾D'      D,Đ.      D°D°Ñ,D°D»D¾D³D°
`/var/calculate/tmp/portage/net-misc/italc-1.0.9/work/italc-1.0.9'
make: *** [all] DžÑ^D,Đ±D°D° 2
emake failed
* ERROR: net-misc/italc-1.0.9 failed (compile phase):
*   died running emake, base_src_make
*
* Call stack:
*   ebuild.sh, line 91: Called src_compile
*   environment, line 3634: Called base_src_compile
*   environment, line 683: Called base_src_make
*   environment, line 721: Called die
* The specific snippet of code:
*       emake "$@" || die "died running emake, $FUNCNAME";
*
* If you need support, post the output of 'emerge --info =net-misc/italc-1.0.9',
* the complete build log and the output of 'emerge -pqv =net-misc/italc-1.0.9'.
* The complete build log is located at '/var/calculate/tmp/portage/net-misc/italc-1.0.9/temp/build.log'.

```

```
* The ebuild environment file is located at
'/var/calculate/tmp/portage/net-misc/italc-1.0.9/temp/environment'.
* S: '/var/calculate/tmp/portage/net-misc/italc-1.0.9/work/italc-1.0.9'
</pre>
```

ĐŠŃ•Ń,Đ°Ń,Đ, ĐµŃ•Ń,ŃŒ ŃfĐ¶Đµ Đ²ĐµŃ•Ń•Đ,Ń• 2.0.0 Đ½ĐµĐ»ŃŒĐ•Ń• Đ»Đ, ĐµĐµ
Đ'Đ°Đ±Đ°Đ²Đ,Ń,ŃŒ

ĐŃ•Ń,Đ°Ń•Ń•

ĐŃŃ•, 01 Ń,,ĐµĐ²Ń•. 2012, 07:47:52 +0400 - Đ•Đ²Đ³ĐµĐ½Đ,Đ¹ ĐŠŃfĐ³Đ°Đ,Đ½Đ°Đ²

ĐŸŃ•Đ³Đ±Đ°Đ²Đ» Ń•Đ°Đ¼ Ń•Đ°Đ°Ń±Đ°Ń,ŃŒ

git clone git://italc.git.sourceforge.net/gitroot/italc/italc

Đ½Đ°Đ°Đ° 88% ŃfĐ¿Đ°Đ»Đ° Ń•Đ°Ń°Đ,Đ±Đ°Đ°Đ¹ Đ½Đ° CLD-11.9-x86-64 Đ¿Ń•Đ, make install

Ń•Đ°Đ°Ń±Đ°Đ» Đ²Ń•ŃfŃ±Đ½ŃfŃŹ italc-2.0.0.tar.bz2

Đ²Ń•Đµ ŃfŃ•Ń,Đ°Đ½Đ³Đ²Đ,Đ»Đ³Ń•ŃŒ, Đ½Đ³Đ½ĐµŃ, Đ¿Đ³Ń±ĐµĐ¼Ńf-Ń,Đ³Đ»Đ³Đ°Đ°Đ»Đ,Đ-Đ°Ń†Đ,Đ, Đ, Đ³Đ½Đ° Đ² /usr/local

ĐŃŃ•, 01 Ń,,ĐµĐ²Ń•. 2012, 10:19:14 +0400 - Alexander Tratsevskiy

ĐœĐ³Đ¶ĐµŃ, Đ² Đ±Đ°Đ³Ń,Ń•ĐµĐ°ĐµŃ• gentoo Đ¿Ń•Đ°Đ²Đ,Đ»ŃŒĐ½ĐµĐ¹ Đ±Ń•Đ»Đ³Đ±Ń•Đ°Đ¿Đ,Ń•ŃŒ, Đ¿Ń•Đ,Ń•Đ²Đ³Đ,Đ²
Đ¿Ń•Đ,Đ³Ń•Đ,Ń,ĐµŃ, High, Đ°Đ°Đ°Đ-Đ'ĐµŃ•ŃŒ? Đ-Ń,Đ³ŃŃ, ĐµĐ±Đ,Đ»Đ'Đ²Đ¿Ń•Ń•ĐµĐ¶Đ°Ń....

Đ'ĐµŃ•Ń•Đ,ŃŹ 2.0.0 Đ,Đ½ĐµĐ»Đ³Đ±Ń•Đ°Ń•Ń•Đ°Đ'Đ³Đ±Đ°Đ²Đ»Ń•Ń,ŃŒ Đ²Đ³Đ²ĐµŃ•Đ»ĐµĐ¹, ĐµŃ•Đ»Đ, Đ±Ń•Ń•Ń•Ń,Đ¿Đ°ĐµŃ, Đ,Ń•Đ¿Đ³Đ»ŃŒĐ-Đ³Đ°Đ»Ń•Ń•Đ²Đ³Đ°Đ»Ń•Ń•Đ²Đ³Đ°Đ½Đ¼Đ,Đ.Đ'Đ,Ń•Ń,Ń•Đ,Đ±ŃfŃ,Đ,Đ²Đ³Đ².

ĐŃŃ•, 01 Ń,,ĐµĐ²Ń•. 2012, 13:07:06 +0400 - Dmitry Fomenko

ĐŸĐ°Đ¶Đ°Đ»ŃfĐ¹Ń•Ń,Đ°, Ń•Đ»ĐµĐ'ŃfŃŹŃ°Đ,Đ¹ Ń•Đ°Đ. Đ¿Ń•Đ,Đ°Ń•ĐµĐ¿Đ,Ń,ĐµĐ°Ń,Ń,Đ°Ń±Đ°Đ¼Đ, Ń•Đ»ĐµĐ'ŃfŃŹŃ°ĐµĐµ, Đ±ŃfĐ'ĐµŃ, Đ³Đ³Ń•Đ°Đ-Đ'Đ³Đ¿Ń•Đ³Ń°Đµ Ń•Đ°Đ-Đ±Đ,Ń•Đ°Ń,ŃŒ Đ¿Ń•Đ³Đ±Đ»ĐµĐ¼Ńf:

- * If you need support, post the output of 'emerge --info =net-misc/italc-1.0.9',
- * the complete build log and the output of 'emerge -pqv =net-misc/italc-1.0.9'.
- * The complete build log is located at '/var/calculate/tmp/portage/net-misc/italc-1.0.9/temp/build.log'.

Đ¿Đ¿Đ°Ń•Đ,Đ±Đ³.

ĐŃŃ•, 01 Ń,,ĐµĐ²Ń•. 2012, 14:17:43 +0400 - Dmitry Fomenko

Đ°Đ±Đ³Ń±Đ,Đ¹ net-misc/italc-1.0.13.ebuild Đ²Đ³Đ²ĐµŃ•Đ»ĐµĐµ. ĐŒĐµŃ•Ń,Đ,Ń•ŃfĐ¹Ń,Đµ. 2.0.0 Đ±ŃfĐ'ĐµŃ, Ń±ŃfŃ,Đ³Đ°Đ¿Đ³Đ-Đ¶Đµ.

Đ'Ń,, 07 Ń,,ĐµĐ²Ń•. 2012, 14:00:28 +0400 - Dmitry Fomenko

- ĐŸĐ°Ń•Đ°Đ»ĐµŃ,Ń•Đ¿Ń,Đ°Ń,ŃfŃ•Đ,Đ-Đ¼ĐµĐ½Đ,Đ»Ń•Ń•Ń• New Đ½Đ° Resolved
- ĐŸĐ°Ń•Đ°Đ»ĐµŃ,Ń•Đ°ŃŃ,Đ³Đ²Đ½Đ³Ń•Ń,ŃŒĐ²%Đ,Đ-Đ¼ĐµĐ½Đ,Đ»Ń•Ń•Ń• 0 Đ½Đ° 100
Đ°Đ³Đ±Đ°Đ²Đ»ĐµĐ½ italc-2.0.0.ebuild. ĐŸĐ³Ń•Đ»Đµ Ń•Đ,Đ½Ń...Ń•Đ³Đ½Đ,Đ-Đ°Ń†Đ,Đ, develop-Đ²ĐµŃ,Đ°Đ, Ń•Đ³Ń•Đ½Đ³Đ²Đ½Đ³Đ¹
Đ±ŃfĐ'ĐµŃ, Đ'Đ³Ń•Ń,ŃfĐ¿ĐµĐ½Đ'Đ»Ń•Ń,ĐµŃ•Ń,Đ,Ń•Đ³Đ²Đ°Đ½Đ,Ń•. ĐŒĐ°Đ°Đ¶ĐµĐ½ĐµĐ±Đ³Đ»ŃŒŃ°Đ¼Đ¹ Ń,,Đ°Ń•Đ'Đ»Ń• 1.0.13 -
Đ'Đ³Đ±Đ°Đ²Đ»ĐµĐ½Đ°Đ³ĐµĐ½ĐµŃ•Đ°Ń†Đ,Ń•.desktop-Ń,,Đ°Đ¹Đ»Đ°.

ĐŠŃ,, 09 Ń,,ĐµĐ²Ń•. 2012, 23:19:21 +0400 - Oleg Volkov

italc-2.0.0 Ń•Đ»ĐµĐ³Đ°Đ Đ¿Đ³Đ'Đ³Đ»ŃŹŃ±Đ,Đ²Đ°ĐµŃ, Đ¿Đ³Ń•Đ»ĐµĐ²Đ°Đ»ŃŹŃ±ĐµĐ½Đ,Ń•Ń•ĐµĐ¶Đ,Đ½Đ°
Đ'ĐµĐ¼Đ³Đ½Ń•Ń,Ń•Đ°Ń†Đ,Đ, Đ±Đ³Đ»ĐµĐµ Ń,Đ³Ń±Đ³Đ³Đ Đ¿Ń•Đ,Ń±Đ,Đ½ŃfĐ¿Đ³Đ°Đ°Đ½ĐµĐ²Ń•Ń•Đ½Đ,Đ».

ĐŃ±, 11 Ń,,ĐµĐ²Ń•. 2012, 07:36:51 +0400 - Oleg Volkov

italc Đ¿ĐµŃ•Đ²Đ³Đ¹Đ²ĐµŃ•Ń•Đ,Đ½ĐµŃ,Đ°Đ°Đ³Đ¹ŃfĐ¶Ń•Ń,Đ°Đ±Đ,Đ»ŃŒĐ½Ń•Đ¹Đ°Đ°Đ°Ń...Đ³Ń,ĐµĐ»Đ³Ń•ŃŒĐ±Ń•,
Đ¿Đ³Ń•Ń,Đ³Đ¼ŃfŃ•Đ°Ń•Ń•Đ°Đ°Đ-Ń•Đ²Đ°ŃŹĐ¿Ń•Đ³ italc2.

$\partial^1 \partial^0 \partial^1 \partial^1 \partial^{1/4} \partial^{3/4} \partial^2 \partial^1 \partial^1 \mu \partial^2 \partial^1 \mu \partial^1 \gg \partial^2 \partial^1 \mu \tilde{N}, \partial^0 \tilde{N} f \partial^{1/4} \partial^{3/4} \partial^1 \partial^1 \partial^{1/2} \partial^{3/4} \partial^0 \partial^1 \gg \partial^0 \tilde{N} \bullet \tilde{N}, \tilde{N} \in \partial_{\zeta} \partial^{3/4} \tilde{N} \bullet \partial^1 \gg \partial^1 \mu \partial^1 \partial^{1/2} \partial^1 \partial^1$ git (*italc2*).

- $\mathcal{D} \ddot{Y} \mathcal{D}^\circ \tilde{N} \in \mathcal{D}^\circ \mathcal{D} \frac{1}{4} \mathcal{D} \mu \tilde{N}, \tilde{N} \in \mathcal{D}_j \tilde{N}, \mathcal{D}^\circ \tilde{N}, \tilde{N} f \tilde{N} \bullet \mathcal{D}, \mathcal{D} \cdot \mathcal{D} \frac{1}{4} \mathcal{D} \mu \mathcal{D} \frac{1}{2} \mathcal{D}, \mathcal{D} \gg \tilde{N} \bullet \tilde{N} \bullet \tilde{N} \bullet$ Resolved $\mathcal{D} \frac{1}{2} \mathcal{D}^\circ$ Closed