

Calculate Linux - Bug # 500: cl-setup dhcp Ð½Ðµ ÑƒÑ•Ñ,Ð°Ð½Ð²Ð²Ð»Ð, Ð²Ð²ÐµÐµÑ, Ñ•ÐµÑ€Ð²Ñ•Ñ.

Đ₁Ń,Đ°Ń,ŃfŃ•:	New	ĐŸŃ€Đ,Đ¾Ń€Đ,Ń,ĐμŃ,ŃJrgent
Đ•Đ²Ń,Đ¾Ń€:	Richard Roe	ĐšĐ°Ń,ĐμĐ³Đ¾Ń€Đ,Ń•:
Đ₁Đ¾Đ•Đ´Đ°Đ½:	21.09.2012	Đ•Đ°Đ•Đ½Đ°Ń±ĐμĐ½Đ°:
ĐžĐ±Đ½Đ¾Đ²Đ»ĐμĐ½Đ¾Đ,09.2012		Đ"Đ°Ń,Đ° Đ²Ń•ĐžĐ¾Đ»Đ½ĐμĐ½Đ,Ń•:
ĐĐĐμĐ¾Đ°:	cl-setup dhcp Đ½Đμ ŃfŃ•Ń,Đ°Đ½Đ°Đ²Đ»Đ,Đ²Đ°ĐμŃ, Ń•ĐμŃ€Đ²Đ,Ń•	
ĐžĐžĐ,Ń•Đ°Đ½Đ,Đμ:	cl-setup --net 192.168.1.0/24 --router 192.168.1.254 --dnames test.ru --dn sip 192.168.1.1 --range 192.168.1.10,192.168.1.110 dhcp	
Traceback (most recent call last): File "/usr/bin/cl-setup-2.7", line 87, in <module> if obj.setupDhcpServer(optObj.opt): File "/usr/lib/calculate/calculate-server/pym/cl_ldap.py", line 21640, in setupDhcpServer if self.isRangeNet(ip, options["net"]): File "/usr/lib/calculate/calculate-server/pym/cl_ldap.py", line 19836, in isRangeNet ipNumb = self.getNumberIP(ip) File "/usr/lib/calculate/calculate-server/pym/cl_ldap.py", line 274, in getNumberIP octetsIp = map(lambda x: int(x), ip.split(".")) File "/usr/lib/calculate/calculate-server/pym/cl_ldap.py", line 274, in <lambda> octetsIp = map(lambda x: int(x), ip.split(".")) ValueError: invalid literal for int() with base 10: "		

$$\mathfrak{D}^{\sim}\tilde{N}\cdot\tilde{N},\mathfrak{D}^{3/4}\tilde{N}\in\mathfrak{D}_{\sim}\tilde{N}\cdot$$

ԾԿԾ^{1/2}, 24 Ն•ԾԾ^{1/2}Ն,. 2012, 09:08:12 +0400 - Mikhail Hiretsky

[illegible]

ᐃᖅᐃᓄᓂ, 24 ᓇᓄᐃᓄᓂᓇ. 2012, 14:27:48 +0400 - Richard Roe

Mikhail Hiretsky wrote:

> DHCP $\tilde{N} \bullet \mathcal{D} \mu \tilde{N} \in \mathcal{D}^2 \mathcal{D}, \tilde{N} \bullet \tilde{N} f \mathcal{D}^{\frac{1}{2}} \mathcal{D} \mu \mathcal{D}^{\frac{3}{4}} \mathcal{D} \pm \tilde{N} \dots \mathcal{D}^{\frac{3}{4}} \mathcal{D}' \mathcal{D}, \mathcal{D}^{\frac{1}{4}} \mathcal{D}^{\frac{3}{4}}, \tilde{N} \pm \tilde{N}, \mathcal{D}^{\frac{3}{4}} \mathcal{D} \pm \tilde{N}, \tilde{N} \dots \mathcal{D}^{\frac{3}{4}} \tilde{N}, \tilde{N} \bullet \mathcal{D} \pm \tilde{N}, \mathcal{D}^{\frac{3}{4}} \mathcal{D}' \mathcal{D}, \mathcal{D}^{\frac{1}{2}} \tilde{N} \bullet \mathcal{D} \mu \tilde{N}, \mathcal{D} \mu \mathcal{D}^{\frac{3}{4}} \mathcal{D}^1 \mathcal{D}, \mathcal{D}^{\frac{1}{2}} \tilde{N}, \mathcal{D} \mu \tilde{N} \in \tilde{N}, \mathcal{D} \mu \mathcal{D}^1 \tilde{N} \bullet \mathcal{D} \pm \tilde{N} \langle \mathcal{D} \rangle \tilde{N} \bullet \mathcal{D}^{\frac{1}{2}} \mathcal{D}^0 \tilde{N} \bullet \tilde{N}, \tilde{N} \in \mathcal{D}^{\frac{3}{4}} \mathcal{D} \mu \mathcal{D}^{\frac{1}{2}} \mathcal{D}^{\frac{1}{2}} \tilde{N} \langle \mathcal{D}^{\frac{1}{4}} \text{ ip } \mathcal{D}^0 \mathcal{D}' \tilde{N} \in \mathcal{D} \mu \tilde{N} \bullet \mathcal{D}^{\frac{3}{4}} \mathcal{D}^{\frac{1}{4}}. \mathcal{D} \mathcal{Z} \mathcal{D} \pm \tilde{N} \in \mathcal{D}^0 \mathcal{D} \pm \mathcal{D}^{\frac{3}{4}} \tilde{N}, \mathcal{D}^0 \tilde{N} f \mathcal{D}^{\frac{3}{4}} \tilde{N}' \mathcal{D}, \mathcal{D} \pm \mathcal{D}^0 \mathcal{D}, \mathcal{D}' \mathcal{D}^{\frac{3}{4}} \mathcal{D} \pm \mathcal{D}^0 \mathcal{D}^2 \mathcal{D}, \mathcal{D}^{\frac{1}{4}} \mathcal{D}^2 \tilde{N} \bullet \mathcal{D} \rangle \mathcal{D} \mu \mathcal{D}' \tilde{N} f \tilde{N} \mathcal{Z} \tilde{N} \bullet \mathcal{D} \mu \mathcal{D}^1 \mathcal{D}^2 \mathcal{D} \mu \tilde{N} \in \tilde{N} \bullet \mathcal{D}, \mathcal{D}, \text{ calculate-server}.$

```


```

```
samba ~ # ifconfig
```

```
eth0    Link encap:Ethernet  HWaddr 00:25:90:7a:8e:c3
        inet addr:192.168.1.1  Bcast:192.168.1.255  Mask:255.255.255.0
        inet6 addr: fe80::225:90ff:fe7a:8ec3/64 Scope:Link
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:2799029 errors:0 dropped:367 overruns:0 frame:0
        TX packets:2456955 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:488044057 (465.4 MiB)  TX bytes:2221603742 (2.0 GiB)
        Interrupt:20 Memory:f7100000-f7120000
```

```
eth1    Link encap:Ethernet  HWaddr 00:25:90:7a:8e:c2
UP BROADCAST MULTICAST  MTU:1500  Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
```

```
lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        inet6 addr: ::1/128 Scope:Host
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:1055837 errors:0 dropped:0 overruns:0 frame:0
        TX packets:1055837 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:214537025 (204.5 MiB)  TX bytes:214537025 (204.5 MiB)
```

$$\mathfrak{D} \cdot \tilde{N}, \mathfrak{D}^{3/4} \tilde{N} \cdot \tilde{N} \neq \mathfrak{D}, \tilde{N}, \mathfrak{D}^\circ \mathfrak{D} \mu \tilde{N}, \tilde{N} \cdot \tilde{N} \cdot \tilde{N} \neq \tilde{N}, \mathfrak{D}^{3/4} \mathfrak{D}^{3/4} \mathfrak{D}' \mathfrak{D}, \mathfrak{D}^{1/2} \mathfrak{D}, \mathfrak{D}^{1/2} \tilde{N}, \mathfrak{D} \mu \tilde{N} \in \tilde{N}, \mathfrak{D} \mu \mathfrak{D}^{1\tilde{N}} \cdot \mathfrak{D}^{1/2} \mathfrak{D}^\circ \tilde{N} \cdot \tilde{N}, \tilde{N} \in \mathfrak{D}^{3/4} \mathfrak{D} \mu \mathfrak{D}^{1/2}?$$

ĐŠĐ°Đ°Đ°Ñ•Đ²ĐµÑ€Ñ•Đ,Ñ•calculate-serverÑƒĐ'Đ°Ñ•ÑƒÑ•Ñ•Đ°Đ¹²Đ¾Đ²Đ»ĐµĐ¹²Đ°?

> $\mathfrak{D}\mathfrak{S}\mathfrak{D}^{\circ}\mathfrak{D}^{\circ}\mathfrak{D}^{\circ}\tilde{\mathfrak{N}}\bullet\mathfrak{D}^2\mathfrak{D}_{\mu}\tilde{\mathfrak{N}}\in\tilde{\mathfrak{N}}\bullet\mathfrak{D}_{\tilde{\mathfrak{N}}}\bullet$ calculate-server $\tilde{\mathfrak{N}}f\ \mathfrak{D}'\mathfrak{D}^{\circ}\tilde{\mathfrak{N}}\bullet\tilde{\mathfrak{N}}f\tilde{\mathfrak{N}}\bullet\tilde{\mathfrak{N}},\mathfrak{D}^{\circ}\mathfrak{D}^{1/2}\mathfrak{D}^{3/4}\mathfrak{D}^2\mathfrak{D}\gg\mathfrak{D}_{\mu}\mathfrak{D}^{1/2}\mathfrak{D}^{\circ}?$

ÐŸÑ€Ð¼Ð¼Ð½Ð½,Ð¼ Ð¼Ñ,Ð»Ð´Ð¼Ñ±Ð½Ñ‹Ð¹ ÐžÐ½Ñ,Ñ± Ð° Ñ„Ð°Ð¹Ð»@/usr/lib/calculate/calculate-server/pym/cl_lidap.py@. ÐžÐžÐ¼ÐžÑ€Ð¼Ð±ÑŒÐ½,Ð¼ Ð¼ÑÑºÐ¼ Ñ€Ð°Ð²Ð½ÐžÑ,Ñ€ Ð½Ð²ÐžÑ•Ñ,Ñ€Ð¼Ð¹Ð½f DHCP. ÐÑÑ,Ð¼ Ð²Ñ‹Ð²Ð¼Ð¼Ð¼Ñ, Ð°Ð¼Ð¼Ð°Ð°Ð½Ð¹Ð°?

[illegible]

Đ̣Ñ±Đ̣μṆ̃€Đ̣° Ṇ̃Đ̣¼Đ̣¶Đ̣μ Đ̣¿Đ̣¼Đ̣¹Đ̣¼Đ̣°Đ̣» - Ṇ̃Đ̣°Đ̣¼ Đ̣°Đ̣¼Đ̣°Đ̣'Đ̣° Đ̣'Đ̣¼Đ̣±Đ̣°Đ̣²Đ̣»Ṇ̃Đ̣μṆ̃,Ṇ̃•Ṇ̃ Ṇ̃Đ̣μĐ̣Ṇ̃ƒṆ̃%Đ̣,Đ̣¹ Ṇ̃...Đ̣¼Ṇ̃•Ṇ̃, Đ̣² Ṇ̃•Ṇ̃,Đ̣°Ṇ̃,Đ̣,Đ̣°Ṇ̃ƒ, Đ̣² Ṇ̃•Đ̣¿Đ̣,Ṇ̃•Đ̣¼Đ̣° İP̣s Đ̣¿Đ̣μṆ̃€Đ̣²Ṇ̃•Đ̣¼ Ṇ̃•Đ̣»Đ̣μĐ̣¼Đ̣μĐ̣¼Ṇ̃,Đ̣¼Đ̣¼ Đ̣¿Đ̣¼Đ̣¿Đ̣°Đ̣'Đ̣°Đ̣μṆ̃, ", Đ̣¼Ṇ̃,Đ̣°Ṇ̃ƒĐ̣°Đ̣ Đ̣¿Đ̣Ṇ̃ƒṆ̃•Ṇ̃,Đ̣°Ṇ̃• Ṇ̃•Ṇ̃,Ṇ̃€Đ̣¼Đ̣°Đ̣° - Đ̣,Ṇ̃•Đ̣°Đ̣°Ṇ̃,Ṇ̃€Đ̣»Đ̣μĐ̣½Ṇ̃€Đ̣±Ṇ̃•Đ̣»Đ̣¼, Đ̣-Đ̣°Đ̣°Đ̣¼Ṇ̃•Ṇ̃,Ṇ̃•Đ̣»Đ̣,Đ̣» Ṇ̃,Đ̣°Đ̣°: İP̣s.remove("")

```
> ÐŸÑ€Ð¼Ð¼Ð½Ñ‚Ð¼ Ð¼Ñ‚»Ð°Ð´´Ð¼Ñ†Ð½Ñ‚Ð¹ ÐžÐ’Ñ‚Ñ‚Ñ† Ð°/usr/lib/calculate/calculate-server/pym/cl_ldap.py@. Ðœ  
ÐžÐ¼ÐžÑ€Ð¼Ð±Ñ†Ñ‚Ð¹Ð¼ Ð¼Ñ‚‰Ð¼ Ñ€Ð°ÐžÐ¼»Ð½Ð¼Ñ‚Ñƒ Ð½Ð²Ð°Ñ‚Ñ‚Ñ‚Ñ€Ð¼Ð¹Ð°Ñ† Ð”Ð”Ð. ÐšÑ‚Ð¼ Ð²Ñ‚Ð²Ð¼ÐµÐ¼Ñ‚  
Ð°Ð¼Ð¼Ð°Ð°Ð°Ð°Ð°Ð°?
```

$$\mathfrak{D}'\tilde{N}\triangleleft\mathfrak{D}^2\mathfrak{D}^{3/4}\mathfrak{D}'\mathfrak{D},\tilde{N},\tilde{N},\tilde{N}f\mathfrak{D}\P\mathfrak{D}\mu\mathfrak{D}^{3/4}\tilde{N}^\wedge\mathfrak{D},\mathfrak{D}\pm\mathfrak{D}^0\tilde{N}f$$
$$> \mathbb{D}'\tilde{N} < \mathbb{D}^2 \mathbb{D}^{3/4} \mathbb{D}' \mathbb{D}, \tilde{N}, \tilde{N}, \tilde{N}f \mathbb{D} \mathbb{D} \mu \mathbb{D}^{3/4} \tilde{N}^{\wedge} \mathbb{D}, \mathbb{D} \pm \mathbb{D}^0 \tilde{N}f$$

Ð²Ð°Ð°Ð¹Ð»Ñ€

debug.patch	765 Ð±Ð°Ð¹Ñ‚,Ð°	25.09.2012	Mikhail Hiretsky
-------------	-----------------	------------	------------------