

Calculate Linux - Bug # 637: argument of type 'NoneType' is not iterable

Status:	Closed	Priority:	Normal
Author:	ЃїЃμŃЄЃμЃ¹ ƉμЃμƉ´Ɖ%Ń,Ɖ%Ɖ²	Category:	Calculate Utilities
Created:	02/07/2014	Assignee:	
Updated:	09/03/2014	Due date:	
Subject:	argument of type 'NoneType' is not iterable		
Description:	<pre># cl-core --version 3.1.9.3 # cl-core --method core_variables_show * ЃїЃμŃЄЃμЃ¹ ƉμЃμƉ´Ɖ%Ń,Ɖ%Ɖ² argument of type 'NoneType' is not iterable * TypeError:argument of type 'NoneType' is not iterable(calculate.install.variables.kernel:143)</pre>		

History

02/07/2014 11:27 am - Mikhail Hiretsky

Ɖ•ŃŃŃ,Ń% Ɖ½Ɖ°Ń...Ɖ%Ɖ´Ɖ,Ń,Ń•Ń• Ɖ² @/boot@ ?

02/07/2014 11:33 am - Mikhail Hiretsky

Ɖ•ŃŃŃ,Ń% Ɖ»Ɖ, Ɖ±Ɖ,Ń,Ń«Ɖμ Ń•Ń•Ń«Ɖ»Ɖ°Ɖ, Ɖ² @/boot@ ?

02/07/2014 11:47 am - ЃїЃμŃЄЃμЃ¹ ƉμЃμƉ´Ɖ%Ń,Ɖ%Ɖ²

Ɖ•ŃŃŃ,Ń% Ɖ%Ɖ´Ɖ½Ɖ°. Ɖ•Ɖ° Ɖ°Ɖ%Ɖ½Ń,Ɖ,Ɖ³ Ń•Ɖ´ŃЄƉ°. ƉїŃ,ŃЄƉ°Ɖ½Ɖ½Ɖ% Ɖ°Ń•Ń,Ɖ°Ń,Ń, ŃŃŃ,Ń% ŃŃŃ•Ń,Ɖ°Ɖ½Ɖ%Ɖ²Ɖ»ƉμƉ½Ɖ% 1 Ń•Ɖ´ŃЄƉ%, Ɖ° Ɖ%Ɖ±ŃЄƉ°Ɖ•Ɖ%Ɖ² Ń,Ɖ°Ɖ% Ń,ŃЄƉ°Ɖ°Ɖ°. ƉšƉ°Ɖ»ŃЄƉ°Ɖ° Ɖ½Ɖμ Ɖ¿Ɖ%Ɖ´Ń,Ɖ,ŃЄƉ°ƉμŃ, Ɖ•Ɖ° Ń•Ɖ%Ɖ±Ɖ%Ɖ¹?)

ƉŸƉ%Ń»Ɖμ Ń,Ɖ%Ɖ³Ɖ% Ɖ°Ɖ°Ɖ° ŃŃŃ´Ɖ°Ɖ»Ɖ,Ɖ» ƉμƉμ Ɖ²Ń•Ɖμ Ɖ•Ɖ°ŃЄƉ°Ɖ±Ɖ%Ń,Ɖ°Ɖ»Ɖ%. ƉїƉ¿Ɖ°Ń•Ɖ,Ɖ±Ɖ%.

02/07/2014 01:00 pm - Mikhail Hiretsky

Ɖ´Ɖ%Ɖ%Ɖ±Ń%Ɖμ ŃŃŃ,Ń•Ń,Ɖ,Ń,. Ɖ´Ɖ%Ɖ•Ɖ%Ɖ%Ɖ¶Ɖ½Ɖ% Ɖ³Ɖ»ŃŹƉ° Ɖ¿ŃЄƉ°Ń•Ɖ²Ɖ,Ɖ»Ń•Ń• Ɖ°Ɖ°Ɖ° ŃЄƉ°Ɖ• Ɖ,Ɖ--Ɖ•Ɖ° Ɖ±Ɖ,Ń,Ɖ%Ɖ¹ Ń•Ɖ,Ɖ½Ɖ²Ɖ%Ɖ»Ɖ,ŃŃŃμŃ•Ɖ°Ɖ%Ɖ¹ Ń•Ń•Ń«Ɖ»Ɖ°Ɖ, . Ɖ ƉμƉ°Ɖ°ŃŃŹ ŃŃŃ,Ń,Ɖ»Ɖ,Ń, Ɖ½Ɖ° Ɖ±Ɖ,Ń,Ń«Ɖμ Ń•Ń•Ń«Ɖ»Ɖ°Ɖ, Ɖ¿Ɖ%Ɖ¿ŃЄƉ°Ɖ²Ɖ,Ɖ½ Ɖ² Ń•Ɖ»ƉμƉ´ŃŃŹŃ%ƉμƉ¹ ŃЄƉμƉ²Ɖ,Ɖ•Ɖ,Ɖ, calculate-install.

09/03/2014 07:24 pm - Alexander Tratsevskiy

- Status changed from New to Closed