Calculate Linux - Bug # 666: sys-apps/calculate-core-3.1.9-r4: /etc/init.d/calculate-core Ð²Ð°Ð»Ð¸Ñ‚Ñ• Ð¿Ñ€

Status:	Closed	**Priority:**	High
Author:	ÐœÐ¸Ñ…Ð°Ð¸Ð» Ð“Ð°Ð³Ð°Ñƒð·	**Category:**	Calculate Utilities
Created:	07/28/2014	**Assignee:**	Mikhail Hiretsky
Updated:	01/04/2015	**Due date:**	
Subject:	sys-apps/calculate-core-3.1.9-r4: /etc/init.d/calculate-core Ð²Ð°Ð»Ð¸Ñ‚Ñ• Ð¿Ñ€Ð¸ Ð³ÐµÐ½ÐµÑ€Ð°Ñ†Ð¸Ð¸ ÐºÐ»Ñ		

Description:

ÐŸÑ€Ð¸ Ð¿ÐµÑ€Ð²Ð¾Ð¼ Ð·Ð°Ð¿ÑƒÑ•ÐºÐµ (Ð¿Ñ€Ð¸ Ð·Ð°Ð³Ñ€ÑƒÐ·ÐºÐµ Ñ• LiveCD, Ð¸Ð»Ð¸ Ð¿Ñ€Ð¸ Ð¿ÐµÑ€Ð²Ð¾Ð¼ Ð·Ð°Ð¿ÑƒÑ•ÐºÐµ ÑƒÑ•Ñ‚Ð°Ð½Ð¾Ð²Ð»ÐµÐ½Ð¾Ð² Ñ•Ð¸Ñ•Ñ‚ÐµÐ¼Ñ‹) Ñ•Ð»ÑƒÐ¶Ð±Ñ‹ @calculate-core@, Ð¾Ð½Ð° Ð²Ð°Ð»Ð¸Ñ•Ñ• Ñ•Ð¾ Ñ•Ð»ÐµÐ´ÑƒÑŽÑ‰Ð¸Ð¼Ð¸ Ð¾Ñˆ Ð¸Ð±ÐºÐ°Ð¼Ð¸:

```
<pre>
# /etc/init.d/calculate-core start
 * Start calculate core ...
Ð“ÐµÐ½ÐµÑ€Ð°Ñ†Ð¸Ñ• Ñ•ÐµÑ€Ñ‚Ð¸Ñ„Ð¸ÐºÐ°Ñ‚Ð° Ñ•ÐµÑ€Ð²ÐµÑ€Ð°
...............+++
.......................................................................+++
Traceback (most recent call last):
  File "/usr/sbin/cl-core-2.7", line 28, in <module>
    sys.exit(main())
  File "/usr/lib/python2.7/site-packages/calculate/core/server/func.py", line 1664, in wrapper
    return func(*args,**kwargs)
  File "/usr/lib/python2.7/site-packages/calculate/core/server/cl_server.py", line 121, in main
    port, args.bootstrap_user_name)
  File "/usr/lib/python2.7/site-packages/calculate/core/server/bootstrap.py", line 84, in init
    create_server_cert(cert, key, cert_path, args, port)
  File "/usr/lib/python2.7/site-packages/calculate/core/server/bootstrap.py", line 122, in create_server_cert
    cert_cmd.check_server_certificate(cert,key,cert_path,args,port,auto=True)
  File "/usr/lib/python2.7/site-packages/calculate/core/server/cert_cmd.py", line 139, in check_server_certificate
    cert = makeCert(req, pkey, name)
  File "/usr/lib/python2.7/site-packages/calculate/core/server/create_cert.py", line 143, in makeCert
    cert.add_ext(X509.new_extension('subjectKeyIdentifier', 'hash'))
  File "/usr/lib/python2.7/site-packages/M2Crypto/X509.py", line 29, in new_extension
    raise ValueError('value must be precomputed hash')
ValueError: value must be precomputed hash                                    [ !! ]
 * ERROR: calculate-core failed to start
</pre>

ÐŸÐ¾Ñˆ°Ð³Ð¾Ð²Ð¾Ð¼ Ð²Ñ‹Ð¿Ð¾Ð»Ð½ÐµÐ½Ð¸Ð¸ Ð´ÐµÐ¹Ñ•Ñ‚Ð²Ð¸Ð¹ Ð¸Ð· Ñ•Ñ‚Ð¾Ð¼ Ñ•Ð¾Ñ€Ð¸Ñ‚Ð° Ð·Ð°Ñƒð· Ð¿Ð¾Ð°Ð·Ñ‹Ð²Ð°Ð½Ð¸Ñ, Ñ‡Ñ‚Ð¾ Ð¿Ñ€Ð¾Ð±Ð»ÐµÐ¼Ð° Ð½Ð° Ñ•Ñ‚Ð¾Ñ€Ð¾Ð½Ðµ
*@/usr/sbin/cl-core --bootstrap root@*
```

History

07/29/2014 04:04 pm - Mikhail Hiretsky

dev-python/m2crypto ÐºÐ°Ðºð°Ñ• Ð²ÐµÑ€Ñ•Ð¸Ñ•?

07/29/2014 10:09 pm - ÐœÐ¸Ñ…Ð°Ð¸Ð» Ð“Ð°Ð³Ð°Ñƒð·

```
<pre>
[I] dev-python/m2crypto
    Available versions:  0.21.1-r1[1] 0.21.1-r2^t ~0.22.3-r1^t {doc examples PYTHON_TARGETS="python2_7"}
```

Installed versions: 0.21.1-r2^t(02:29:02 26.07.2014)(-doc -examples PYTHON_TARGETS="python2_7")
Homepage: http://chandlerproject.org/bin/view/Projects/MeTooCrypto http://pypi.python.org/pypi/M2Crypto
Description: M2Crypto: A Python crypto and SSL toolkit

[1] "calculate" /var/lib/layman/calculate
</pre>

07/31/2014 10:14 am - Mikhail Hiretsky
Ð£Ñ‚Ð¸Ð»Ð¸Ñ‚ Ð½Ðµ Ñ€Ð°Ð±Ð¾Ñ‚Ð°ÑŽÑ‚ Ñ• m2crypto Ð±ÐµÐ· Ð¿Ð°Ñ‚Ñ‡Ð° Ð¸Ð· Calculate Ð¾Ð²ÐµÑ€Ð»ÐµÑ•. Ð—Ð°Ð¼Ð°Ñ•ÐºÐ¸Ñ€Ð¾Ð²Ð°Ð» 0.21.1-r2.

08/04/2014 02:19 pm - Alexander Tratsevskiy
- Status changed from New to Closed

01/04/2015 05:20 am - ÐœÐ¸Ñ…Ð°Ð¸Ð» Ð“Ð°Ð³Ð°Ñƒ Ð·
Ð’ Ð¿Ð¾Ñ€Ñ‚ÐµÐ¶Ð°Ñ… Ð²Ñ‹Ñˆ Ñ•Ð²ÐµÐ¶Ð¸Ð¸ @dev-python/m2crypto@
<pre>
[I] dev-python/m2crypto
Available versions: 0.21.1-r2^t{tbz2} 0.21.1-r2^t{tbz2}[1] [M]~0.22.3-r2^t {doc examples PYTHON_TARGETS="python2_7"}
Installed versions: 0.21.1-r2^t{tbz2}[1](00:49:10 04.01.2015)(-doc -examples PYTHON_TARGETS="python2_7")
Homepage: http://chandlerproject.org/bin/view/Projects/MeTooCrypto http://pypi.python.org/pypi/M2Crypto
Description: M2Crypto: A Python crypto and SSL toolkit

[1] "calculate" /var/lib/layman/calculate
</pre>

Ð’ Ñ•Ð²Ñ•Ð·Ð¸ Ñ• Ñ•Ñ‚Ð¼ Ð¿Ñ€Ð¸ Ð¾Ð±Ð½Ð¾Ð²Ð»ÐµÐ½Ð¸ ÑƒÑ•Ñ‚Ð°Ð½Ð²Ð»ÐµÐ½Ð¸Ñ•Ñ• Ð²ÐµÑ€Ñ•Ð¸Ñ• Ð¸Ð· Ð¿Ð¾Ñ€Ñ‚ÐµÐ¶Ð¸Ð¸ Ð¸ Ð¿Ð¾Ð²Ñ‚Ð¾Ñ€Ñ•ÐµÑ•Ñ• Ð¿Ñ€Ð¾Ð±Ð»ÐµÐ¼Ð° Ð¿Ð¾Ð»Ñƒ Ð³Ð¾Ð´Ð¸Ñ‡Ð½Ð¾Ð¹ Ð´Ð°Ð²Ð½Ð¾Ñ•Ñ‚Ð¸. ÐŸÑ€ÐµÐ´Ð»Ð°Ð³Ð°ÑŽ Ð½ÐµÐ¼Ð½Ð¾Ð³Ð¾ Ð¸Ð·Ð¼ÐµÐ½Ð¸Ñ‚ÑŒ Ð¼Ð°Ñ•ÐºÑ€Ð¾Ð²Ñƒ Ð² Ð¿Ñ€Ð¾Ñ„Ð¸Ð»Ðµ:
<pre><code class="diff">
diff --git a/profiles/base/package.mask b/profiles/base/package.mask
index 1183954..c160f63 100644
--- a/profiles/base/package.mask
+++ b/profiles/base/package.mask
@@ -2,7 +2,7 @@
 >=dev-lang/python-3

 # without the patch does not allow to work with certificates correctly
->dev-python/m2crypto-0.21.1-r2
+dev-python/m2crypto::gentoo

 # mask portage wgetpaste
 =app-text/wgetpaste-2.22
</code></pre>