

Calculate Linux - Bug # 693: ԶՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ժմ CDS 14 Ժ, Ժ iso

ԺiՆ,Ժ°Ն,ՆfՆ•:	New	ԺŸՆԷԺ, Ժ¾ՆԷԺ, Ն, ԺմՆ, High
Ժ•Ժ²Ն, Ժ¾ՆԷ:	Ժ•Ժ, Ժ°Ժ¾Ժ»Ժ°Ժ¹ ԺՏԺ, ՆԷՆ՝Ժ, Ժ½	ԺՏԺ°Ն, ԺմԺ°Ժ¾ՆԷԺ, Ն•: Calculate Directory Server
ԺjԺ¾ԺԺ•Ժ´Ժ°Ժ½:	02.10.2014	Ժ•Ժ°Ժ•Ժ½Ժ°Ն±ԺմԺ½Ժ°:
ԺՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ	02.10.2014	Ժ°Ն, Ժ° Ժ°Ն<ԺչԺ¾Ժ»Ժ½ԺմԺ½Ժ, Ն•:
ԺՔԺմԺ¾Ժ°:	ԺՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ժմ CDS 14 Ժ, Ժ iso	
ԺՉԺչԺ, Ն•Ժ°Ժ½Ժ, Ժմ:	ԺŸՆԷԺ, Ժ¾Ժ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ն•Ժ, Ն•Ն, ԺմԺ¾Ն< Ժ, Ժ iso. Ժ´ Ժ°Ժ¾Ժ½Ն†Ժմ ՆfՆ•Ն, Ժ°Ժ½Ժ¾Ժ²Ժ°Ժ, Ժ²Ն<Ժ´Ժ°ԺմՆ, : * ԺԻԺ¾ՆԷԺ¾Ժ°Ն, Ժ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ ՆԷԺ°Ժ•Ժ´ԺմԺ»Ժ¾Ժ² ... [ok] * Ժ Ժ°Ն•ԺչԺ°Ժ°Ժ¾Ժ²Ժ°Ժ° Ժ¾Ժ±ՆԷԺ°Ժ•Ժ° Ն•Ժ, Ն•Ն, ԺմԺ¾Ն< ... [ok] * ԺՏԺ¾ԺչԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ clt-Ն՝Ժ°Ժ±Ժ»Ժ¾Ժ½Ժ¾Ժ² Ժ² Ժ½Ժ¾Ժ²ՆfՆՉ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf ... [ok] * ԺՏԺ¾ԺչԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ ԺչՆԷԺ¾Ն±Ժ, Ն... Ժ½Ժ°Ն•Ն, ՆԷԺ¾ԺմԺ° Ժ² Ժ½Ժ¾Ժ²ՆfՆՉ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf ... [ok] * ԺՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ժմ Ժ°Ժ¾Ժ½Ն, Ժ, Ժ³ՆfՆԷԺ°Ն†Ժ, Ժ, ... * ԺՏԺ¾Ժ½Ն, Ժ, Ժ³ՆfՆԷԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ grub * Ժ•Ժմ ՆfԺ´Ժ°Ժ»Ժ¾Ն•ՆԷ Ժ²Ն<ԺչԺ¾Ժ»Ժ½Ժ, Ն, ՆԷ: /var/lib/layman/calculate/profiles/templates/3.1/3_ac_install_live/1-live/sys-boot/grub/update-grub.new * Ժ•Ժ°Ն•Ն, ՆԷԺ¾Ժ¹Ժ°Ժ° ԺչԺ¾Ն•Ժ»Ժմ ՆfՆ•Ն, Ժ°Ժ½Ժ¾Ժ²Ժ°Ժ, ... [ok] * ԺŸԺմՆԷԺմԺ½Ժ¾Ն• ԺչԺ¾Ժ»ՆԷԺ•Ժ¾Ժ²Ժ°Ն, ԺմԺ»ԺմԺ¹ ... [ok] * ԺŸԺ¾Ժ´Ժ³Ժ¾Ն, Ժ¾Ժ²Ժ, Ժ¼ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf Ժ´Ժ»Ն• ԺչԺմՆԷԺմԺ•Ժ°Ժ³ՆԷՆfԺ•Ժ°Ժ, ... * Ժ•Ժմ ՆfԺ´Ժ°Ժ»Ժ¾Ն•ՆԷ ՆfՆ•Ն, Ժ°Ժ½Ժ¾Ժ²Ժ, Ն, ՆԷ Ժ•Ժ°Ժ³ՆԷՆfԺ•Ն±Ժ, Ժ° * ԺՉՆ, Ժ°Ժ»ՆՉՆ±ԺմԺ½Ժ, Ժմ ՆfՆ•Ն, Ժ°Ժ½Ժ°Ժ²Ժ»Ժ, Ժ²Ժ°ԺմԺ¼Ժ¾Ժ³Ժ Ժ´Ժ, Ն•Ն, ՆԷԺ, Ժ±ՆfՆ, Ժ, Ժ²Ժ° ... [ok] * ԺՉՆ, Ժ¼Ժ¾Ժ½Ն, Ժ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ ՆԷԺմՆ•ՆfՆԷՆ•Ժ¾Ժ² ՆfՆ•Ն, Ժ°Ժ½Ժ°Ժ²Ժ»Ժ, Ժ²Ժ°ԺմԺ¼Ժ¾Ժ¹ Ն•Ժ, Ն•Ն, ԺմԺ¾Ն< ... [ok] * Ժ•Ժմ ՆfԺ´Ժ°Ժ»Ժ¾Ն•ՆԷ ՆfՆ•Ն, Ժ°Ժ½Ժ¾Ժ²Ժ, Ն, ՆԷ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf! ԺjԺ, Ն•Ն, ԺմԺ¾Ժ° Ն•Ն, Ժ¾Ժ, Ն, Ժ½Ժ° softraid Ժ•ԺմՆԷԺ°Ժ»Ժ¾.	

ԺՆՆ•Ն, Ժ¾ՆԷԺ, Ն•

ԺՏՆ, 02 Ժ°Ժ°Ն, 2014, 16:08:44 +0400 - Iurii Blokhin
Ժi Ժ°Ժ°Ժ¾Ժ¹ Ժ²ԺմՆԷՆ•Ժ, Ժ Ժ¾Ժ±Ժ½Ժ¾Ժ²Ժ»Ն•ԺմՆ, ԺմՆ•ՆԷ? ԺՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ն< Ժ»Ժ, Ն՝Ժ°Ժ±Ժ»Ժ¾Ժ½Ն< Ժ, ՆfՆ, Ժ»Ժ, Ն, Ն< ԺչՆԷԺմԺ†Ժ´Ժմ Ն±ԺմԺ¼ Ժ¾Ժ±Ժ½Ժ¾Ժ²Ժ»Ն•Ն, ՆԷ Ժ, Ժ iso?

ԺՏՆ, 02 Ժ°Ժ°Ն, 2014, 16:10:08 +0400 - Ժ•Ժ, Ժ°Ժ¾Ժ»Ժ°Ժ¹ ԺՏԺ, ՆԷՆ՝Ժ, Ժ½

ԺŸՆԷԺ, Ժ¾Ժ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ն•Ժ, Ն•Ն, ԺմԺ¾Ն< Ժ, Ժ iso. Ժ´ Ժ°Ժ¾Ժ½Ն†Ժմ ՆfՆ•Ն, Ժ°Ժ½Ժ¾Ժ²Ժ°Ժ, Ժ²Ն<Ժ´Ժ°ԺմՆ, :
<pre>
* ԺԻԺ¾ՆԷԺ¾Ժ°Ն, Ժ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ ՆԷԺ°Ժ•Ժ´ԺմԺ»Ժ¾Ժ² ... [ok]
* Ժ Ժ°Ն•ԺչԺ°Ժ°Ժ¾Ժ²Ժ°Ժ° Ժ¾Ժ±ՆԷԺ°Ժ•Ժ° Ն•Ժ, Ն•Ն, ԺմԺ¾Ն< ... [ok]
* ԺՏԺ¾ԺչԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ clt-Ն՝Ժ°Ժ±Ժ»Ժ¾Ժ½Ժ¾Ժ² Ժ² Ժ½Ժ¾Ժ²ՆfՆՉ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf ... [ok]
* ԺՏԺ¾ԺչԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ ԺչՆԷԺ¾Ն±Ժ, Ն... Ժ½Ժ°Ն•Ն, ՆԷԺ¾ԺմԺ° Ժ² Ժ½Ժ¾Ժ²ՆfՆՉ Ն•Ժ, Ն•Ն, ԺմԺ¾Նf ... [ok]
* ԺՉԺ±Ժ½Ժ¾Ժ²Ժ»ԺմԺ½Ժ, Ժմ Ժ°Ժ¾Ժ½Ն, Ժ, Ժ³ՆfՆԷԺ°Ն†Ժ, Ժ, ...
* ԺՏԺ¾Ժ½Ն, Ժ, Ժ³ՆfՆԷԺ, ՆԷԺ¾Ժ²Ժ°Ժ½Ժ, Ժմ grub
* Ժ•Ժմ ՆfԺ´Ժ°Ժ»Ժ¾Ն•ՆԷ Ժ²Ն<ԺչԺ¾Ժ»Ժ½Ժ, Ն, ՆԷ:

```
/var/lib/layman/calculate/profiles/templates/3.1/3_ac_install_live/1-live/sys-boot/grub/update-grub.new
* Ծ•Ժ°Ն•Ն,ՆԷԾ¼Ժ¹Ժ°Ժ° ԶՀԺ¼Ն•Ժ»Զմ ՆfՆ•Ն,Ժ°Ժ½Ժ¼Ժ²Ժ°Ժ, ... [ ok ]
* ԺŸԺմՆԷԶմԺմ½Ժ¼Ն• ԶՀԺ¼Ժ»ՆԷԺ·Ժ¼Ժ²Ժ°Ն,ԶմԺ»ԶմԺ¹ ... [ ok ]
* ԺŸԺ¼ԺԴԴԺ³Ժ¼Ն,Ժ¼Ժ²Ժ,Ժ¼ Ն•Ժ,Ն•Ն,ԶմԺ¼Նf ԺԴԺ»Ն• ԶՀԺմՆԷԶմԺ·Ժ°Ժ³ՆԷՆfԺ·Ժ°Ժ, ...
* Ծ•Ժմ ՆfԺԴԴԺ»Ժ¼Ն•ՆԷ ՆfՆ•Ն,Ժ°Ժ½Ժ¼Ժ²Ժ,Ն,ՆԷ Ժ·Ժ°Ժ³ՆԷՆfԺ·Ն‡Ժ,Ժ°
* ԺՀՆ,Ժ°Ժ»ՆՀՆ‡ԺմԺմ½Ժ,Զմ ՆfՆ•Ն,Ժ°Ժ½Ժ°Ժ²Ժ»Ժ,Ժ²Ժ°ԺմԺ¼Ժ¼Ժ³Ժ¼ ԺԴԺ,Ն•Ն,ՆԷԺ,Ժ±ՆfՆ,Ժ,Ժ²Ժ° ... [ ok ]
* ԺՀՆ,Ժ¼Ժ¼Ժ¼Ն,Ժ,ՆԷԾ¼Ժ²Ժ°Ժ½Ժ,Զմ ՆԷԶմՆ•ՆfՆԷՆ•Ժ¼Ժ² ՆfՆ•Ն,Ժ°Ժ½Ժ°Ժ²Ժ»Ժ,Ժ²Ժ°ԺմԺ¼Ժ¼Ժ¹ Ն•Ժ,Ն•Ն,ԶմԺ¼Ն< ... [ ok ]
* Ծ•Ժմ ՆfԺԴԴԺ»Ժ¼Ն•ՆԷ ՆfՆ•Ն,Ժ°Ժ½Ժ¼Ժ²Ժ,Ն,ՆԷ Ն•Ժ,Ն•Ն,ԶմԺ¼Նf!
</pre>
ԶiԺ,Ն•Ն,ԶմԺ¼Ժ° Ն•Ն,Ժ¼Ժ,Ն, Ժ½Ժ° softraid Ժ·ԶմՆԷԺ°Ժ»Ժ¼.
```

ԶՏՆ,, 02 Ժ°Ժ°Ն,, 2014, 16:17:34 +0400 - Iurii Blokhin

ԺŸԺ¼ԺԺ°Ժ¶Ժ,Ն,Զմ, ԶՀԺ¼Ժ¶ԺԺ»ՆfԺ¹Ն•Ն,Ժ°, Ժ²Ն<Ժ²Ժ¼ԺԴ <<eix sys-apps/calculate-utilities>>

ԶՏՆ,, 02 Ժ°Ժ°Ն,, 2014, 16:23:59 +0400 - Ծ•Ժ,Ժ°Ժ¼Ժ»Ժ°Ժ¹ ԺՏԺ,ՆԷՆԴ,Ժ½

Iurii Blokhin wrote:

> ԺŸԺ¼ԺԺ°Ժ¶Ժ,Ն,Զմ, ԶՀԺ¼Ժ¶ԺԺ»ՆfԺ¹Ն•Ն,Ժ°, Ժ²Ն<Ժ²Ժ¼ԺԴ <<eix sys-apps/calculate-utilities>>

```
<pre>
BUDU ~ # eix sys-apps/calculate-utilities
ԶiԺ¼Ժ²ԶՀԺԺԴԴԺմԺմ½Ժ,Ժ¹ Ժ½Ժմ Ժ½ԺԺԺԴԴԺմԺմ½Ժ¼.
</pre>
```

ԶՏՆ,, 02 Ժ°Ժ°Ն,, 2014, 16:28:41 +0400 - Iurii Blokhin

ԺՀԺ°. Ծ• <<emerge --search calculate-utilities>> ?

ԺՏԺԴԺԺ¼Ժ¹ Ժ²ԺմՆԷՆ•Ժ,Ժ, Ն•Ն,Ժ¼Ժ,Ն, ՆfՆ,Ժ,Ժ»Ժ,Ն,Ն<? ԺՆ< Ժ,Ն... Ժ¼Ժ±Ժ½Ժ¼Ժ²Ժ,Ժ»Ժ, ԶՀՆԷԶմԺ¶ԺԴԴմ, Ն‡ԺմԺ¼
Ժ·ԺԶՀՆfՆ•Ժ°ԺՆ,ՆԷ Ժ¼Ժ±Ժ½Ժ¼Ժ²Ժ»ԺմԺմ½Ժ,Զմ Ժ,Ժ· iso?

ԶՏՆ,, 02 Ժ°Ժ°Ն,, 2014, 16:30:39 +0400 - Ծ•Ժ,Ժ°Ժ¼Ժ»Ժ°Ժ¹ ԺՏԺ,ՆԷՆԴ,Ժ½

Iurii Blokhin wrote:

> ԺՀԺ°. Ծ• <<emerge --search calculate-utilities>> ?

> ԺՏԺԴԺԺ¼Ժ¹ Ժ²ԺմՆԷՆ•Ժ,Ժ, Ն•Ն,Ժ¼Ժ,Ն, ՆfՆ,Ժ,Ժ»Ժ,Ն,Ն<? ԺՆ< Ժ,Ն... Ժ¼Ժ±Ժ½Ժ¼Ժ²Ժ,Ժ»Ժ, ԶՀՆԷԶմԺ¶ԺԴԴմ, Ն‡ԺմԺ¼
Ժ·ԺԶՀՆfՆ•Ժ°ԺՆ,ՆԷ Ժ¼Ժ±Ժ½Ժ¼Ժ²Ժ»ԺմԺմ½Ժ,Զմ Ժ,Ժ· iso?

```
<pre>
BUDU ~ # emerge --search calculate-utilities
```

Local copy of remote index is up-to-date and will be used.

Searching...

[Results for search key : calculate-utilities]

[Applications found : 1]

```
* sys-apps/calculate-utilities
  Latest version available: 3.2.1-r4
  Latest version installed: 3.2.1-r4
  Size of files: 6 kB
  Homepage:      http://www.calculate-linux.org/main/en/calculate2
  Description:   Calculate Utilities meta package
  License:       Apache-2.0
```

```
</pre>
```

[illegible]

Iurii Blokhin wrote:

> Ɓ°Ɓ»Ŋ• Ɓ½Ɓ°Ŋ±Ɓ°Ɓ»Ɓ° Ɓ¼Ɓ³Ɓ¶¶Ɓ½Ɓ³¼ ƁƁƁ³ƁƁŊŊƁ³Ɓ±Ɓ³Ɓ²Ɓ°Ŋ,ŊƁƁ Ɓ-Ɓ°ƁƁŊŊŊ•Ŋ,Ɓ,Ŋ,ŊƁƁ ŊŊŊ•Ŋ,Ɓ°Ɓ½Ɓ³¼Ɓ²Ɓ°ŊŊ ƁμŊŊ%Ɓμ
ŊŊƁ°Ɓ-Ɓ³¼Ɓ° Ɓ²Ŋ<ƁƁ³¼Ɓ»Ɓ½Ɓ² ƁƁŊŊƁμƁ°Ɓ²Ɓ°ŊŊƁ,ƁμƁ»ŊƁƁ½Ɓ²Ɓ³¼ <<eix-sync>>, ƁμŊ•Ɓ»Ɓ, Ɓ½Ɓμ ƁƁ³¼Ɓ¼Ɓ³¼Ɓ¶¶ƁμŊ,, Ŋ,Ŋ³¼
Ɓ²Ɓ³¼Ɓ-Ɓ¼Ɓ³¼Ɓ¶¶Ɓ½Ɓ³¼ Ŋ±Ŋ,Ɓ³¼ Ɓ½ŊŊŊ¶¶Ɓ½Ɓ³¼ Ɓ³¼Ɓ±Ɓ½Ɓ³¼Ɓ²Ɓ,Ŋ,ŊƁƁ grub Ɓ² Ŋ,ƁμƁ°ŊŊŊŊ%ƁμƁ¹ Ŋ•Ɓ,Ŋ•Ŋ,ƁμƁ¼Ɓμ, Ɓ½Ɓ³¼ Ŋ•Ŋ,Ŋ³¼
Ɓ¼ƁμŊŊƁ³¼ƁƁŊŊ,Ŋ•Ŋ,Ɓ,Ɓμ ŊŊƁ,Ŋ•Ɓ°Ɓ³¼Ɓ²Ɓ³¼μ.

```


```

* $\mathbb{D} \rightarrow \mathbb{D}^\circ \mathbb{D}_{\mathcal{L}} \tilde{N}/\tilde{N} \bullet \mathbb{D}^\circ$ emerge --sync

```
>>> Synchronization of repository 'gentoo' located in '/usr/portage'...
```

```
>>> Starting git pull in /usr/portage...
```

Already up-to-date.

```
>>> Git pull in /usr/portage successful
```

* IMPORTANT: 7 config files in '/etc' need updating.

* See the CONFIGURATION FILES section of the emerge

* man page to learn how to update config files.

Checking portage...

usage: egencache [options] <action> ... [atom] ...

egencache: error: Unable to locate repository named 'calculate'

* $\mathcal{D}\mathcal{S}\tilde{\mathcal{N}}, \mathcal{D}^{3/4}\tilde{\mathcal{N}}, \mathcal{D}^{3/4}\mathcal{D}^{1/2}\mathcal{D}\mu\tilde{\mathcal{N}}, \mathcal{D}^0\mathcal{D}^0\tilde{\mathcal{N}}$ • egencache --repo=calculate --update --jobs=4

* $\mathbb{D} \rightarrow \mathbb{D}^0 \mathbb{D}_{\mathcal{L}} \tilde{N} f \tilde{N} \bullet \mathbb{D}^0$ eix-update

$\partial \tilde{S} \tilde{N}, \partial \mu \partial^{1/2} \partial, \partial \mu \partial^{1/2} \partial^\circ \tilde{N} \bullet \tilde{N}, \tilde{N} \in \partial^{3/4} \partial \mu \partial^0$ Portage ..

ÐŸÐ¼Ñ•Ñ,Ñ€Ð¼Ð½Ð,Ðµ Ð±°Ð·Ñ< Ð´°Ð½Ð½Ñ... (/var/cache/eix/portage.eix) ..

```
[0] "gentoo" /usr/portage (Ð°Ñ•Ñˆ: metadata-md5-or-flat)
```

$\mathbb{D}\mathbb{S}\tilde{\mathbb{N}}, \mathbb{D}\mu\mathbb{D}^{1/2}\mathbb{D}, \mathbb{D}\mu \mathbb{D}^0\mathbb{D}^0\tilde{\mathbb{N}}, \mathbb{D}\mu\mathbb{D}^3\mathbb{D}^{3/4}\tilde{\mathbb{N}} \in \mathbb{D}, \mathbb{D}, 162|162 \text{ (100\%)} \mathbb{D} \text{--} \mathbb{D}^{3/4}\tilde{\mathbb{N}}, \mathbb{D}^{3/4}\mathbb{D}^2\mathbb{D}^{3/4}$

$$\mathbb{D}\tilde{Y}\tilde{N}\in\mathbb{D}\cdot\mathbb{D}^{1/4}\mathbb{D}_{\mu}\mathbb{D}^{1/2}\mathbb{D}_{\mu}\mathbb{D}^{1/2}\mathbb{D}\cdot\mathbb{D}_{\mu}\mathbb{D}^{1/4}\mathbb{D}^{\circ}\tilde{N}\bullet\mathbb{D}^{3/4}\mathbb{D}^{\circ}\dots$$
$$\mathfrak{D} \mathfrak{D}^\circ \tilde{N} \bullet \tilde{N} \nmid \tilde{N}' \tilde{N}, \tilde{N} \dots \mathfrak{D} \mu \tilde{N}^{\sim} \tilde{N}, \mathfrak{D}^\circ \mathfrak{D} \pm \mathfrak{D} \gg \mathfrak{D}, \tilde{N} \dagger \dots$$

$\mathbb{D} - \mathbb{D}^{\circ}\mathbb{D}_{\zeta}; \mathbb{D} \cdot \tilde{\mathbf{N}} \cdot \tilde{\mathbf{N}}(\mathbb{E} \tilde{\mathbf{N}}, \mathbb{D}^{\circ}\mathbb{D}^1\mathbb{D}) \gg \mathbb{D}^{\circ} \mathbb{D} \pm \mathbb{D}^{\circ}\mathbb{D} \cdot \tilde{\mathbf{N}} < \mathbb{D}' \mathbb{D}^{\circ}\mathbb{D}^{1/2}\mathbb{D}^{1/2}\tilde{\mathbf{N}} < \tilde{\mathbf{N}} \dots$ /var/cache/eix/portage.eix ...

$\mathcal{D} \cdot \mathcal{D}^\circ \mathcal{D} \cdot \mathcal{D}^\circ \mathcal{D}' \mathcal{D}^\circ \mathcal{D}^{1/2} \mathcal{D}^{1/2} \tilde{N} \prec \tilde{N} \dots \tilde{N} \cdot \mathcal{D}^{3/4} \mathcal{D}' \mathcal{D} \mu \tilde{N} \in \mathcal{D} \mathcal{D} \tilde{N}, 17703 \mathcal{D} \mathcal{D} \mathcal{D}^\circ \mathcal{D} \mu \tilde{N}, \mathcal{D}^{3/4} \mathcal{D}^2 \mathcal{D}^2 162 \mathcal{D}^\circ \mathcal{D}^\circ \tilde{N}, \mathcal{D} \mu \mathcal{D}^3 \mathcal{D}^{3/4} \tilde{N} \in \mathcal{D} \tilde{N} \cdot \tilde{N} \dots$

$$\mathbb{D}; \mathbb{D}, \mathbb{D}^{1/2} \tilde{N} \dots \tilde{N} \in \mathbb{D}^{3/4} \mathbb{D}^{1/2} \mathbb{D}, \mathbb{D} \cdot \mathbb{D}^\circ \tilde{N} \vdash \mathbb{D}, \tilde{N} \bullet \tilde{N} \in \mathbb{D} \mu \mathbb{D}; \mathbb{D}^{3/4} \mathbb{D} \cdot \mathbb{D}, \tilde{N}, \mathbb{D}^{3/4} \tilde{N} \in \mathbb{D}, \mathbb{D} \mu \mathbb{D}^2$$

* $\mathbb{D}_i \mathbb{D} \mathbb{D}^{1/2} \tilde{\mathbb{N}} \dots \tilde{\mathbb{N}} \mathbb{E} \mathbb{D}^{3/4} \mathbb{D}^{1/2} \mathbb{D} \mathbb{D} \cdot \mathbb{D}^\circ \tilde{\mathbb{N}} \dagger \mathbb{D} \tilde{\mathbb{N}} \bullet \text{Distros } \tilde{\mathbb{N}} \mathbb{E} \mathbb{D} \mathbb{U} \mathbb{D} ; \mathbb{D}^{3/4} \mathbb{D} \cdot \mathbb{D} \tilde{\mathbb{N}} \cdot \mathbb{D}^{3/4} \tilde{\mathbb{N}} \mathbb{E} \mathbb{D} \tilde{\mathbb{N}} \bullet \dots$

[ok]

* $\mathbb{D}; \mathbb{D}, \mathbb{D}^{1/2} \tilde{N} \dots \tilde{N} \in \mathbb{D}^{3/4} \mathbb{D}^{1/2} \mathbb{D}, \mathbb{D} \cdot \mathbb{D}^{\circ} \tilde{N} + \mathbb{D}, \tilde{N} \bullet$. Calculate $\tilde{N} \in \mathbb{D} \mu \mathbb{D}; \mathbb{D}^{3/4} \mathbb{D}, \mathbb{D}, \tilde{N}, \mathbb{D}^{3/4} \tilde{N} \in \mathbb{D}, \tilde{N} \bullet \dots$

[ok]

* $\mathbb{D}_j \mathbb{D}_{\frac{1}{2}} \tilde{N} \dots \tilde{N} \mathbb{E} \mathbb{D}^{\frac{3}{4}} \mathbb{D}_{\frac{1}{2}} \mathbb{D} \cdot \mathbb{D}^{\circ} \tilde{N} \dagger \mathbb{D} \cdot \tilde{N} \bullet$ Portage $\tilde{N} \mathbb{E} \mathbb{D} \mu \mathbb{D}_j \mathbb{D}^{\frac{3}{4}} \mathbb{D} \cdot \mathbb{D} \cdot \tilde{N} \mathbb{D}^{\frac{3}{4}} \tilde{N} \mathbb{E} \mathbb{D} \cdot \tilde{N} \bullet \dots$

[ok]

$$* \mathbb{D}_j \mathbb{D}_{\mathbb{D}} \mathbb{D}^{1/2} \tilde{\mathbb{N}} \dots \tilde{\mathbb{N}} \in \mathbb{D}^{3/4} \mathbb{D}^{1/2} \mathbb{D} \cdot \mathbb{D}^\circ \tilde{\mathbb{N}}^\dagger \mathbb{D} \cdot \tilde{\mathbb{N}} \bullet \mathbb{D} \cdot \mathbb{D}^\circ \mathbb{D}^2 \mathbb{D}_\mu \tilde{\mathbb{N}} \in \tilde{\mathbb{N}}^\wedge \mathbb{D}_\mu \mathbb{D}^{1/2} \mathbb{D}^\circ$$
$$\mathbb{D}\mathbb{S}\mathbb{D}^{3/4}\mathbb{D}^{1/2}\tilde{\mathbb{N}}_{\bullet}, \mathbb{D}, \mathbb{D}^3\tilde{\mathbb{N}}f\tilde{\mathbb{N}}\in\mathbb{D}^{\circ}\tilde{\mathbb{N}}\dagger\mathbb{D}, \tilde{\mathbb{N}}\bullet\tilde{\mathbb{N}}\bullet\mathbb{D}, \tilde{\mathbb{N}}\bullet\tilde{\mathbb{N}}, \mathbb{D}_{\mu}\mathbb{D}^{1/4}\tilde{\mathbb{N}}\langle$$
$$* \text{D}^{\sim}\tilde{\text{N}} \cdot \text{D} \zeta \cdot \tilde{\text{N}} \in \text{D}^{\circ} \text{D}^2 \text{D} \gg \text{D}_{\mu} \text{D}^{1/2} \text{D} \cdot \text{D}_{\mu} \text{D}^{1/2} \text{D}^{\circ} \tilde{\text{N}} \cdot \tilde{\text{N}} \in \text{D}^{3/4} \text{D}_{\mu} \text{D}^{\circ} \dots$$

[ok]

$$* \mathbb{D} \check{\mathbb{D}} + \mathbb{D}^{1/2} \mathbb{D}^{3/4} \mathbb{D}^2 \mathbb{D} \gg \mathbb{D} \mathbb{U} \mathbb{D}^{1/2} \mathbb{D} \quad \mathbb{D} \mathbb{U} \quad \mathbb{D}^0 \mathbb{D}^{3/4} \mathbb{D}^{1/2} \tilde{\mathbb{N}} \cdot \mathbb{D} \quad \mathbb{D}^3 \tilde{\mathbb{N}} f \tilde{\mathbb{N}} \in \mathbb{D}^0 \tilde{\mathbb{N}} \dagger \mathbb{D} \quad \mathbb{D}^{3/4} \mathbb{D}^{1/2} \mathbb{D}^{1/2} \tilde{\mathbb{N}} \langle \tilde{\mathbb{N}} \dots \tilde{\mathbb{N}} \cdot \mathbb{D}^0 \mathbb{D}^1 \mathbb{D} \gg \mathbb{D}^{3/4} \mathbb{D}^2 \dots$$

[ok]

```
--- /etc/eix-sync.conf 2014-10-01 14:51:30.579798027 +0400
```

```
+++ /etc/. cfd0000 eix-sync.conf      2014-10-02 16:25:36.301261846 +0400
```

@@ -1,14 +1,8 @@

```
#-----
-# Modified Calculate-core 3.1.3
+# Modified Calculate-core 3.2.1
# Processed template files:
-# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/app-portage/eix/eix-sync.conf.old
+# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/app-portage/eix/eix-sync.conf
# For modify this file, create /etc/eix-sync.conf.clt template.
#-----
_*

# checkout and repair repositories before sync
-!![ -x /usr/bin/eix-checkout ] && /usr/bin/eix-checkout || true
-# checkout and repair repositories after sync
-@[ -x /usr/bin/eix-checkout ] && /usr/bin/eix-checkout || true
-@egencache --repo=calculate --update --jobs=4
-@@@/usr/sbin/cl-core --method update --update-rev || true
-@@@emerge --metadata || true
+!emergecmd='/usr/sbin/cl-core --method update --sync-only --skip-eix-update'

* (1 0,0 7) -- /etc/eix-sync.conf

0'N<0±0μN€0,N,0μ 0'0μ0¹N•N,0²0,0μ 0'0»N• 0½0°N•N,Ñ€¼0¹0°0,: (0£0'0°0»0,N,Ñ€ 0½0¼0²N<0¹[z]/0~N•0¿0¼0»N€0·0¼0²0°N,Ñ€
0½0¼0²N<0¹[u]/0"0°0»0μ0μ[n]):
--- /etc/pam.d/system-auth 2013-02-25 11:56:38.577836332 +0400
+++ /etc/pam.d/._cfg0000_system-auth 2014-10-02 16:25:36.411261845 +0400
@@ -1,18 +1,23 @@
#-----
-# Modified Calculate-server 2.1.16
-# File of a profile "profile/unix"
+# Modified Calculate-core 3.2.1
+# Processed template files:
+# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/sys-auth/pambase/system-auth
+# For modify this file, create /etc/pam.d/system-auth.clt template.
#-----
+auth required pam_env.so
+auth [success=2 new_authtok_reqd=done default=ignore] pam_unix.so try_first_pass
+auth [success=1 new_authtok_reqd=done default=ignore] pam_ldap.so use_first_pass
+auth requisite pam_deny.so
+auth required pam_permit.so

-auth required pam_env.so
-auth sufficient pam_unix.so try_first_pass likeauth nullok
-auth sufficient pam_ldap.so use_first_pass
-auth required pam_deny.so
-account required pam_unix.so
+account required pam_unix.so
account sufficient pam_ldap.so
-password required pam_cracklib.so difok=2 minlen=8 dcredit=2 ocredit=2 try_first_pass retry=3
-password sufficient pam_unix.so try_first_pass use_authtok nullok md5 shadow
+
+password required pam_cracklib.so difok=2 minlen=8 dcredit=2 ocredit=2 retry=3
+password sufficient pam_unix.so nullok sha256 shadow use_authtok
password sufficient pam_ldap.so
-password required pam_deny.so
```

```
-session required pam_limits.so
-session required pam_unix.so
-session optional pam_ldap.so
\ No newline at end of file
+password required pam_deny.so
+
+session required pam_limits.so
+session required pam_unix.so
+session optional pam_ldap.so
```

```
* (2 0,0 7) -- /etc/pam.d/system-auth
```

0'N<0±0μN€0,N,0μ 0´0μ0¹N•N,0²0,0μ 0´0»N• 0½0°N•N,N€0¾0¹0°0,: (0£0´0°0»0,N,N€ 0½0¾0²N<0¹[z]/0~N•0¿0¾0»N€0·0¾0²0°N,N€ 0½0¾0²N<0¹[u]/0"0°0»0μ0μ[n]):

```
--- /etc/pam.d/system-login 2014-10-01 14:51:30.989798021 +0400
+++ /etc/pam.d/._cfg0000_system-login 2014-10-02 16:25:36.421261844 +0400
@@ -1,5 +1,5 @@
```

```
#-----
-# Modified Calculate-core 3.1.3
+# Modified Calculate-core 3.2.1
# Processed template files:
# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/sys-auth/pambase/system-login
# For modify this file, create /etc/pam.d/system-login.clt template.
```

```
* (3 0,0 7) -- /etc/pam.d/system-login
```

0'N<0±0μN€0,N,0μ 0´0μ0¹N•N,0²0,0μ 0´0»N• 0½0°N•N,N€0¾0¹0°0,: (0£0´0°0»0,N,N€ 0½0¾0²N<0¹[z]/0~N•0¿0¾0»N€0·0¾0²0°N,N€ 0½0¾0²N<0¹[u]/0"0°0»0μ0μ[n]):

```
--- /etc/hosts 2014-10-01 14:51:31.199798017 +0400
+++ /etc/._cfg0000_hosts 2014-10-02 11:50:16.469477051 +0400
@@ -1,5 +1,5 @@
```

```
#-----
-# Modified Calculate-core 3.1.3
+# Modified Calculate-core 3.2.1
# Processed template files:
# /var/lib/layman/calculate/profiles/templates/3.1/3_ac_install_live/1-live/sys-apps/baselayout/hosts
# For modify this file, create /etc/hosts.clt template.
```

```
* (4 0,0 7) -- /etc/hosts
```

0'N<0±0μN€0,N,0μ 0´0μ0¹N•N,0²0,0μ 0´0»N• 0½0°N•N,N€0¾0¹0°0,: (0£0´0°0»0,N,N€ 0½0¾0²N<0¹[z]/0~N•0¿0¾0»N€0·0¾0²0°N,N€ 0½0¾0²N<0¹[u]/0"0°0»0μ0μ[n]):

```
--- /etc/conf.d/net 2013-02-21 15:13:36.549994865 +0400
+++ /etc/conf.d/._cfg0000_net 2014-10-01 14:51:31.479798013 +0400
@@ -5,7 +5,8 @@
```

```
# For modify this file, create /etc/conf.d/net.clt template.
```

```
#-----
```

```
-config_eno1="192.168.0.140 netmask 255.255.255.0 brd 192.168.0.255"
-routes_eno1="default via 192.168.0.1"
-config_enp2s0f0="dhcp"
+modules="!plug"
+config_enp2s0f1="dhcp"
```

```

+config_enp2s0f0="192.168.0.140/24"
+routes_enp2s0f0="default via 192.168.0.1"
ifplugd="--no-beep"

* (5 $ $ 7) -- /etc/conf.d/net

$'N<D±DμN€D,Ń,Dμ $'DμD¹Ń•Ń,D²D, Dμ $'D»Ń• D½D°Ń•Ń,N€D¾D¹D°D,: (D£D'°D»D,Ń,N€ D½D¾D²Ń<D¹[z]/D~Ń•D¿D¾D»ŃCED·D¾D²D°Ń,N€
D½D¾D²Ń<D¹[u]/D"°D»DμDμ[n]):
--- /etc/default/grub 2014-05-29 16:31:41.002991776 +0400
+++ /etc/default/._cfg0000_grub 2014-10-01 14:51:32.049798005 +0400
@@ -2,7 +2,7 @@
# Modified Calculate-core 3.1.3
# Processed template files:
# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/sys-boot/grub/default.grub
-# /var/lib/layman/calculate/profiles/templates/3.1/3_ac_install_live/1-live/sys-boot/grub/default.grub
+# /var/lib/layman/calculate/profiles/templates/3.1/3_ac_install_live/1-live/sys-boot/grub/default.grub.default
# For modify this file, create /etc/default/grub.clt template.
#-----
# /etc/default/grub
@@ -20,7 +20,7 @@
GRUB_TIMEOUT=2

GRUB_CMDLINE_LINUX_DEFAULT="bootdegraded"
-GRUB_CMDLINE_LINUX="video=uvesafb:ywrap,1024x768-32,mtrr:3,splash=silent,theme:calculate elevator=deadline doscsi calculate=video:other
console=tty1 udev quiet"
+GRUB_CMDLINE_LINUX="video=uvesafb:ywrap,1024x768-32,mtrr:3,splash=silent,theme:calculate
real_resume=UUID=f43c8793-798b-4b74-876a-3c714b8043ce elevator=deadline doscsi domdadm console=tty1 udev quiet"

# Uncomment to disable graphical terminal (grub-pc only)
#GRUB_TERMINAL=console
@@ -40,5 +40,4 @@
GRUB_BACKGROUND="/boot/grub/grub-calculate.png"
GRUB_COLOR_NORMAL="white/black"
GRUB_COLOR_HIGHLIGHT="magenta/black"
-GRUB_VIDEO_BACKEND="vbe"
GRUB_DISTRIBUTOR="Calculate Directory Server"

* (6 $ $ 7) -- /etc/default/grub

$'N<D±DμN€D,Ń,Dμ $'DμD¹Ń•Ń,D²D, Dμ $'D»Ń• D½D°Ń•Ń,N€D¾D¹D°D,: (D£D'°D»D,Ń,N€ D½D¾D²Ń<D¹[z]/D~Ń•D¿D¾D»ŃCED·D¾D²D°Ń,N€
D½D¾D²Ń<D¹[u]/D"°D»DμDμ[n]):
--- /etc/eixrc 2014-10-01 14:51:30.589798026 +0400
+++ /etc/._cfg0000_eixrc 2014-10-02 16:25:36.311261846 +0400
@@ -1,5 +1,5 @@
#-----
-# Modified Calculate-core 3.1.3
+# Modified Calculate-core 3.2.1
# Processed template files:
# /var/lib/layman/calculate/profiles/templates/3.1/2_ac_install_merge/app-portage/eix/eixrc
# For modify this file, create /etc/eixrc.clt template.

* (7 $ $ 7) -- /etc/eixrc

```

Đ'Ń<Đ±ĐμŃ€Đ,Ń,Đμ Đ'ĐμĐ¹Ń•Ń,Đ²Đ,Đμ Đ'Đ»Ń• Đ½Đ°Ń•Ń,Ń€Đ¼Đ¹Đ°Đ,:(Đ£Đ'Đ°Đ»Đ,Ń,Ń€ Đ½Đ¼Đ²Ń<Đ¹[z]/Đ'Ń•Đ¿Đ¼Đ»Ń€Đ-Đ¼Đ²Đ°Ń,Ń€ Đ½Đ¼Đ²Ń<Đ¹[u]/Đ'Đ°Đ»ĐμĐμ[n]):

* ĐžŃ,Đ²ĐμŃ, Đ½Đμ Đ¿Đ¼Đ½Ń•Ń,ĐμĐ½

Đ'Ń<Đ±ĐμŃ€Đ,Ń,Đμ Đ'ĐμĐ¹Ń•Ń,Đ²Đ,Đμ Đ'Đ»Ń• Đ½Đ°Ń•Ń,Ń€Đ¼Đ¹Đ°Đ,:(Đ£Đ'Đ°Đ»Đ,Ń,Ń€ Đ½Đ¼Đ²Ń<Đ¹[z]/Đ'Ń•Đ¿Đ¼Đ»Ń€Đ-Đ¼Đ²Đ°Ń,Ń€ Đ½Đ¼Đ²Ń<Đ¹[u]/Đ'Đ°Đ»ĐμĐμ[n]):

ĐŸŃ€Đ¼Đ²ĐμŃ€Đ°Đ° Đ¼Đ±Đ½Đ¼Đ²Đ»ĐμĐ½Đ,Đ¹

* Đ'Ń<Ń±Đ,Ń•Đ»ĐμĐ½Đ,Đμ Đ-Đ°Đ²Đ,Ń•Đ,Đ¼Đ¼Ń•Ń,ĐμĐ¹ ...

[ok

]

!!! Problem resolving dependencies for dev-lang/php from @selected

... Đ³Đ¼Ń,Đ¼Đ²Đ¼!

!!! The ebuild selected to satisfy "dev-lang/php" has unmet requirements.

- dev-lang/php-5.5.16::gentoo USE="apache2 bzip2 cli crypt ctype exif fileinfo filter ftp gdbm hash iconv imap ipv6 json mysql nls opcache phar posix readline session simplexml ssl tokenizer truetype unicode xml zlib -bcmath -berkdb -calendar -cdb -cgi -cjk -curl -debug -embed -enchant (-firebird) -flatfile -fpm (-frontbase) -gd -gmp -inifile -intl -iodbc -kerberos -ldap -ldap-sasl -libedit -libmysqlclient -mhash -mssql -mysqli -oci8-instant-client -odbc -pcntl -pdo -postgres -qdbm -recode (-selinux) -sharedmem -snmp -soap -sockets -spell -sqlite (-sybase-ct) -systemd -sysvpc -threads -tidy -vpix -wddx -xmlreader -xmlrpc -xmlwriter -xpm -xslt -zip" ABI_X86="64"

The following REQUIRED_USE flag constraints are unsatisfied:

truetype? (gd) exif? (gd)

The above constraints are a subset of the following complete expression:

truetype? (gd) vpx? (gd) cjk? (gd) exif? (gd) xpm? (gd) gd? (zlib) simplexml? (xml) soap? (xml) wddx? (xml) xmlrpc? (any-of (xml iconv) xmlreader? (xml) xslt? (xml) ldap-sasl? (ldap) mhash? (hash) phar? (hash) libmysqlclient? (any-of (mysql mysqli pdo)) qdbm? (!gdbm) readline? (!libedit) recode? (!imap !mysql !mysqli) sharedmem? (!threads) !cli? (!cgi? (!fpm? (!apache2? (!embed? (cli)))))

(Ń,Ń€ĐμĐ±ŃƒĐμŃ,Ń•Ń• Đ¿Đ¼ Đ-Đ°Đ²Đ,Ń•Đ,Đ¼Đ¼Ń•Ń,Đ, Đ'Đ»Ń• "@selected" [Đ°Đ¼Đ¼Đ¿Đ»ĐμĐ°Ń,])

(Ń,Ń€ĐμĐ±ŃƒĐμŃ,Ń•Ń• Đ¿Đ¼ Đ-Đ°Đ²Đ,Ń•Đ,Đ¼Đ¼Ń•Ń,Đ, Đ'Đ»Ń• "@world" [Đ°Ń€³ŃƒĐ¼ĐμĐ½Ń,])

* Đ'Ń<Đ¿Đ¼Đ»Đ½ĐμĐ½Đ,Đμ Emerge Đ-Đ°Đ²ĐμŃ€Ń°Đ,Đ»Đ¼Ń•Ń€ Ń• Đ¼Ń°Đ,Đ±Đ°Đ¼Đ¹

* Đ•Đμ ŃƒĐ'Đ°Đ»Đ¼Ń•Ń€ Đ¼Đ±Đ½Đ¼Đ²Đ,Ń,Ń€

>>> Updating Portage cache

100% [=====>]

* Đ'Ń<Đ¼Đ² eix-diff

Đ¡Ń€Đ°Đ²Đ½ĐμĐ½Đ,Đμ Đ±Đ°Đ- Đ'Đ°Đ½Đ½Ń<Ń... (17703 -> 17703 Đ¿Đ°Đ°ĐμŃ,Đ¼Đ²)

* Đ¡Ń,Đ°Ń,Đ,Ń•Ń,Đ,Đ°Đ° Đ²Ń€ĐμĐ¼ĐμĐ½Đ,:

2 Ń•ĐμĐ°ŃƒĐ½Đ' Đ'Đ»Ń• Ń•Đ,Đ½Ń...Ń€Đ¼Đ½Đ,Đ-Đ°Ń†Đ,Ń•

13 Ń•ĐμĐ°ŃƒĐ½Đ' Đ'Đ»Ń• eix-update

2 Ń•ĐμĐ°ŃƒĐ½Đ' Đ'Đ»Ń• eix-diff

250 Ń•ĐμĐ°ŃƒĐ½Đ' Đ²Ń•ĐμĐ³Đ¼

</pre>