

**Calculate Linux - Bug # 726: ƆšƆ¼Ɔ½ƆŃ,,Ɔ»Ɔ,Ɔ°Ń, Ɔ¿Ń€Ɔ, Ɔ¼Ɔ±Ɔ½Ɔ¾Ɔ²Ɔ»ƆµƆ½Ɔ, Ɔ, Ń•Ɔ,Ń•Ń,ƆµƆ¼Ń.**

<b>Status:</b>	New	<b>Priority:</b>	Normal
<b>Author:</b>	ƆŸƆ°Ɔ²ƆµƆ» ƆœƆ,Ń,ƆµƆ½Ɔ°Ɔ¾Ɔ²	<b>Category:</b>	Calculate Linux Desktop KDE
<b>Created:</b>	03/15/2015	<b>Assignee:</b>	
<b>Updated:</b>	03/16/2015	<b>Due date:</b>	

**Subject:** ƆšƆ¼Ɔ½ƆŃ,,Ɔ»Ɔ,Ɔ°Ń, Ɔ¿Ń€Ɔ, Ɔ¼Ɔ±Ɔ½Ɔ¾Ɔ²Ɔ»ƆµƆ½Ɔ, Ɔ, Ń•Ɔ,Ń•Ń,ƆµƆ¼Ń.

**Description:** Ɔ½Ɔµ Ɔ¼Ɔ¾Ɔ³Ńƒ Ɔ¾Ɔ±Ɔ½Ɔ¾Ɔ²ƆŃ,Ń€ Ɔ½ƆµƆ°Ɔ²Ɔ½Ɔ¾ ƃƒŃ•Ń,Ɔ°Ɔ½Ɔ¾Ɔ²Ɔ»ƆµƆ½Ɔ½ƆŃŃŃ  
Ń•Ɔ,Ń•Ń,ƆµƆ¼Ńƒ

```
<pre>
* ƆŃ•ŃŃ±Ɔ,Ń•Ɔ»ƆµƆ½Ɔ,Ɔµ Ɔ-Ɔ°Ɔ²Ɔ,Ń•Ɔ,Ɔ¼Ɔ¾ƆŃ•Ń,ƆµƆ¼Ń ...
    [ ok ]
[ebuild R ] virtual/libintl-0-r1 ABI_X86="32* (64) (-x32)" 0 KiB
[binary U ] virtual/libconv-0-r2 [0-r1] ABI_X86="(64) (-32) (-x32)" 15 KiB
[ebuild R ] media-libs/libdvdcss-1.2.13-r1:1.2 USE="-doc -static-libs" ABI_X86="32* (64) (-x32)" 331 KiB
[ebuild R ] net-libs/libasyncns-0.8-r3 USE="-debug -doc" ABI_X86="32* (64) (-x32)" 334 KiB
[ebuild R ] dev-libs/libaio-0.3.110 USE="-static-libs {-test}" ABI_X86="32* (64) (-x32)" 42 KiB
[ebuild R ] dev-libs/libdaemon-0.14-r2 USE="-doc -examples -static-libs" ABI_X86="32* (64) (-x32)" 333 KiB
[binary U ] sys-kernel/linux-firmware-20150206 [20141009] USE="-savedconfig" 44701 KiB
[ebuild R ] dev-util/cppunit-1.13.2-r2 USE="-doc -examples -static-libs" ABI_X86="32* (64) (-x32)" 932 KiB
[binary R ] kde-base/oxygen-icons-4.14.3/4/4.14 USE="(-aqua) -sources% (-bindist%)" 33561 KiB
[binary U ] sys-kernel/linux-headers-3.18 [3.16] 772 KiB
[binary U ] dev-lang/tcl-8.5.17 [8.5.15-r1] USE="threads -debug" ABI_X86="(64) (-32) (-x32)" 3844 KiB
[binary U ] media-fonts/droid-113-r4 [113-r3] USE="X" 4291 KiB
[binary U ] media-fonts/liberation-fonts-2.00.1-r1 [2.00.0-r1] USE="X -fontforge" 2042 KiB
[ebuild R ] media-libs/sbc-1.3 USE="-static-libs" ABI_X86="32* (64) (-x32)" 241 KiB
[binary U ] app-admin/eselect-1.4.4 [1.4.3] USE="-doc -emacs -vim-syntax" 90 KiB
[binary U ] dev-python/setuptools-12.0.1 [7.0] USE="{-test}" PYTHON_TARGETS="python2_7 (-pypy) (-pypy3) -python3_3 -python3_4" 455 KiB
[ebuild R ] dev-libs/popt-1.16-r2 USE="nls -static-libs" ABI_X86="32* (64) (-x32)" 687 KiB
[ebuild R ] app-text/iso-codes-3.57 LINGUAS="en ru -af -am -ar -as -ast -az -be -bg* -bn -bn_IN -br -bs -byn -ca -crh -cs -cy -da -de* -dz -el -eo -es* -et -eu -fa -fi -fo -fr* -ga -gez -gl -gu -haw -he -hi -hr -hu -hy -ia -id -is -it* -ja -ka -kk -km -kn -ko -kok -ku -lt -lv -mi -mk -ml -mn -mr -ms -mt -nb -ne -nl -nn -nso -oc -or -pa -pl* -ps -pt* -pt_BR* -ro* -rw -si -sk -sl -so -sq -sr -sr@latin -sv -sw -ta -te -th -ti -tig -tk -tl -tr -tt -tt@iqtelif -ug -uk* -ve -vi -wa -wal -wo -xh -zh_CN -zh_HK -zh_TW -zu" 3686 KiB
[ebuild R ] media-gfx/exiv2-0.24-r1:0/13 USE="nls xmp zlib -contrib -doc -examples -static-libs" ABI_X86="(64) (-32) (-x32)" LINGUAS="ru -de* -es* -fi -fr* -pl* -sk" 4527 KiB
[ebuild R ] sys-devel/flex-2.5.39-r1 USE="nls -static {-test}" ABI_X86="32* (64) (-x32)" 1316 KiB
[ebuild R ] sys-libs/tdb-1.3.0-r1 USE="-python" ABI_X86="32* (64) (-x32)" PYTHON_TARGETS="python2_7" 468 KiB
[ebuild R ] net-dns/dnsmasq-2.72 USE="dbus dhcp ipv6 nls -auth-dns -conntrack -dhcp-tools -dnsssec -idn -lua -script (-selinux) -static -tftp" LINGUAS="-de* -es* -fi -fr* -id -it* -no -pl* -pt_BR* -ro*" 444 KiB
[binary U ] dev-lang/tk-8.5.17 [8.5.15] USE="threads truetype (-aqua) -debug {-test} -xscreensaver" 2498 KiB
[ebuild N ] dev-libs/libltdl-2.4.4 USE="-static-libs" ABI_X86="32 (64) (-x32)" 936 KiB
[binary U ] sys-devel/libtool-2.4.4:2 [2.4.2-r1:2] USE="-vanilla (-static-libs%) (-test%)" ABI_X86="(-32%) (-64%*) (-x32%)" 0 KiB
[blocks b ] <sys-devel/libtool-2.4.3-r2:2 ("<sys-devel/libtool-2.4.3-r2:2" is blocking dev-libs/libltdl-2.4.4)
[ebuild N ] dev-libs/libevdev-1.3 USE="-static-libs" ABI_X86="32 (64) (-x32)" 0 KiB
[binary N ] x11-drivers/xf86-input-synaptics-1.8.1 213 KiB
[ebuild R ] app-text/hunspell-1.3.3 USE="ncurses nls readline -static-libs" LINGUAS="en ru -af -bg* -ca
```

```

-cs -cy -da -de* -el -eo -es* -et -fo -fr* -ga -gl -he -hr -hu -ia -id -is -it* -km -ku -lt -lv -mk -ms -nb -nl -nn -pl*
-pt* -pt_BR* -ro* -sk -sl -sq -sv -sw -tn -uk* -zu" 963 KiB
[ebuild R ] dev-libs/iniparser-3.1-r1 USE="-doc -examples -static-libs" ABI_X86="32* (64) (-x32)" 39 KiB
[ebuild R ] dev-libs/libev-4.15-r1 USE="-static-libs" ABI_X86="32* (64) (-x32)" 502 KiB
[ebuild N ] x11-PROTO/dri2proto-2.8-r1 ABI_X86="32 (64) (-x32)" 0 KiB
[ebuild N ] x11-PROTO/glproto-1.4.17 ABI_X86="32 (64) (-x32)" 0 KiB
[ebuild N ] x11-PROTO/xf86driproto-2.1.1-r1 ABI_X86="32 (64) (-x32)" 0 KiB
[ebuild N ] x11-PROTO/dri3proto-1.0 ABI_X86="32 (64) (-x32)" 0 KiB
[ebuild N ] x11-PROTO/presentproto-1.0 ABI_X86="32 (64) (-x32)" 0 KiB
[ebuild R ] app-text/recode-3.6_p20-r1 USE="nls -static-libs" ABI_X86="32* (64) (-x32)" 2044 KiB
[ebuild R ] net-libs/neon-0.30.1:0/27 USE="nls ssl zlib -doc -expat -gnutls -kerberos -libproxy -pkcs11
-static-libs" ABI_X86="(64) (-32) (-x32)" LINGUAS="ru -cs -de* -fr* -ja -nn -pl* -tr -zh_CN" 891 KiB
[binary U ] dev-python/pyzmq-14.4.1 [14.4.0] USE="-doc -examples -green {-test}"
PYTHON_TARGETS="python2_7 -python3_3 -python3_4" 365 KiB
[ebuild R ] sys-apps/dmapi-2.2.12-r1 USE="-static-libs" ABI_X86="32* (64) (-x32)" 359 KiB
[ebuild R ] app-arch/snappy-1.1.2-r1 USE="-static-libs" ABI_X86="32* (64) (-x32)" 1451 KiB
[binary U ] dev-python/lxml-3.4.2 [3.4.1] USE="threads -beautifulsoup3 -doc -examples"
PYTHON_TARGETS="python2_7 -python3_3 -python3_4" 877 KiB
[ebuild U ] dev-libs/protobuf-2.5.0-r2:0/8 [2.5.0-r1:0/8] USE="-emacs -examples -java -python -source
-static-libs -vim-syntax" ABI_X86="32%* (64%*) (-x32)" PYTHON_TARGETS="python2_7" 1824 KiB
[ebuild R ] app-i18n/enca-1.14-r2 USE="recode -doc" ABI_X86="32* (64) (-x32)" 548 KiB
[ebuild R ] app-office/libreoffice-l10n-4.3.5.2 USE="-offlinehelp" LINGUAS="en ru -af -am -ar -as -ast -be
-bg* -bn -bn_IN -bo -br -brx -bs -ca -ca_valencia -cs -cy -da -de* -dgo -dz -el -en_GB -en_ZA -eo -es* -et -eu
-fa -fi -fr* -ga -gd -gl -gu -he -hi -hr -hu -id -is -it* -ja -ka -kk -km -kmr_Latn -kn -ko -kok -ks -lb -lo -lt -lv -mai
-mk -ml -mn -mni -mr -my -nb -ne -nl -nn -nr -nso -oc -om -or -pa_IN -pl* -pt* -pt_BR* -ro* -rw -sa_IN -sat -sd
-si -sid -sk -sl -sq -sr -sr_Latn -ss -st -sv -sw_TZ -ta -te -tg -th -tn -tr -ts -tt -ug -uk* -uz -ve -vi -xh -zh_CN
-zh_TW -zu" 1627 KiB
[ebuild R ] net-libs/gnutls-3.3.10-r2 USE="crywrap cxx nls zlib -dane -doc -examples -guile -pkcs11
-static-libs {-test}" ABI_X86="(64) (-32) (-x32)" LINGUAS="en -cs -de* -fi -fr* -it* -ms -nl -pl* -sv -uk* -vi
-zh_CN" 6029 KiB
[binary R ] net-misc/vpnc-0.5.3_p527-r1 USE="gnutls -resolvconf (-selinux) (-bindist%)" 110 KiB
[ebuild R ] app-text/ghostscript-gpl-9.10-r2 USE="X cups dbus djvu gtk -bindist -idn -static-libs"
LINGUAS="-de* -ja -ko -zh_CN -zh_TW" 30465 KiB
[ebuild R ] app-admin/system-config-printer-gnome-1.4.3-r1 USE="-gnome-keyring" LINGUAS="ru -ar
-as -bg* -bn -bn_IN -br -bs -ca -cs -cy -da -de* -el -en_GB -es* -et -fa -fi -fr* -gu -he -hi -hr -hu -hy -id -is -it*
-ja -ka -kn -ko -lo -lv -mai -mk -ml -mr -ms -nb -nl -nn -or -pa -pl* -pt* -pt_BR* -ro* -si -sk -sl -sr -sr@latin -sv
-ta -te -th -tr -uk* -vi -zh_CN -zh_TW" PYTHON_TARGETS="python2_7" 872 KiB
[binary U ] net-print/cups-filters-1.0.66 [1.0.53] USE="dbus foomatic jpeg png tiff -perl -static-libs
-zeroconf" 845 KiB
[ebuild U ] dev-libs/libvenge-9999::mva [0.0.2::gentoo] USE="-doc (-test%)" ABI_X86="(64) (-32) (-x32)"
0 KiB
[binary R ] media-video/ffmpeg-1.2.6-r1 USE="X aac alsa amr bzip2 cpudetection encode faac
hardcoded-tables iconv ieee1394 jpeg2k mp3 network openal pulseaudio sdl speex theora threads truetype
v4l vaapi vdpau vorbis x264 xvid zlib -aacplus (-altivec) -bluray -cdio (-celt) -debug -doc -examples -fdk -flite
-fontconfig -frei0r -gnutls -gsm -iec61883 -jack -libass -libcaca -libsoxr -libv4l -modplug (-neon) -openssl
-opus -oss -pic -rtmp -schroedinger -static-libs {-test} -twolame (-vis) -vpx (-bindist%)" ABI_X86="(64) (-32)
(-x32)" CPU_FLAGS_X86="3dnow 3dnowext avx mmx mmxext sse3" FFTOOLS="aviocat cws2fws
ffescape ffeval fourcc2pixfmt graph2dot ismindex pktdumper qt-faststart trasher" 5654 KiB
[binary R ] media-libs/opencv-2.4.9:0/2.4 USE="eigen ffmpeg gtk ieee1394 jpeg jpeg2k openexr opengl
openmp png python qt4 threads tiff v4l -cuda -doc -examples -gstreamer (-ipp) -java -libav% -opencl -pch
-testprograms (-vtk) -xine" PYTHON_TARGETS="python2_7" 7193 KiB
[ebuild R ] kde-base/kde-l10n-4.14.3:4/4.14 USE="handbook (-aqua)" LINGUAS="ru -ar -bg* -bs -ca
-ca@valencia -cs -da -de* -el -en_GB -es* -et -eu -fa -fi -fr* -ga -gl -he -hi -hr -hu -ia -id -is -it* -ja -kk -km -ko

```

```

-lt -lv -mr -nb -nds -nl -nn -pa -pl* -pt* -pt_BR* -ro* -sk -sl -sr -sv -tr -ug -uk* -wa -zh_CN -zh_TW" 0 KiB
[binary R ] media-libs/mlt-0.9.0 USE="dv ffmpeg gtk kde kdenlive melt qt4 quicktime sdl vdpau vorbis xml
-compressed-lumas -debug -frei0r -jack -libav% -libsamplerate -lua -python -rtaudio -ruby -xine"
CPU_FLAGS_X86="mmx sse sse2" 3066 KiB
[ebuild U ] sys-auth/polkit-kde-agent-0.99.1:4 [0.99.0-r1:4] USE="(-aqua) -debug -minimal%"
LINGUAS="ru -ar% -bs% -ca -ca@valencia -cs -da -de* -el% -en_GB -eo -es* -et -fi -fr* -ga -gl -hr -hu -is -it*
-ja -kk% -km -lt -mai -mr% -ms -nb -nds -nl -pa -pl% -pt* -pt_BR* -ro* -sk -sl% -sr -sr@ijekavian
-sr@ijekavianlatin -sr@latin -sv -th -tr -ug% -uk* -vi% -zh_CN% -zh_TW" 38 KiB
[ebuild R ] net-libs/libtorrent-1.3.1:4 USE="handbook (-aqua) -debug {-test}" LINGUAS="ru -ar -ast -be
-bg* -bs -ca -ca@valencia -cs -da -de* -el -en_GB -eo -es* -et -eu -fi -fr* -ga -gl -hi -hne -hr -hu -is -it* -ja -km
-ku -lt -lv -ms -nb -nds -nl -nn -oc -pl* -pt* -pt_BR* -ro* -se -si -sk -sl -sr -sr@ijekavian -sr@ijekavianlatin
-sr@latin -sv -tr -ug -uk* -zh_CN -zh_TW" 843 KiB
[ebuild R ] net-wireless/bluedevil-2.0_rc1:4 USE="(-aqua) -debug" LINGUAS="ru -ar -bs -ca
-ca@valencia -cs -da -de* -el -en_GB -eo -es* -et -eu -fa -fi -fr* -ga -gl -hu -it* -ja -kk -km -ko -lt -mai -mr -ms
-nb -nds -nl -pa -pl* -pt* -pt_BR* -ro* -sk -sl -sr -sr@ijekavian -sr@ijekavianlatin -sr@latin -sv -th -tr -ug -uk*
-zh_CN -zh_TW" 159 KiB
[ebuild R ] kde-misc/kde-gtk-config-2.2.1:4 USE="(-aqua) -debug" LINGUAS="ru -bs -ca -ca@valencia
-cs -da -de* -el -es* -et -eu -fi -fr* -ga -gl -hu -id -it* -ja -kk -km -lt -mr -nb -nds -nl -pl* -pt* -pt_BR* -ro* -sk -sl
-sv -uk* -zh_CN -zh_TW" 85 KiB
[ebuild R ] kde-misc/kscreen-1.0.2.1:4 USE="(-aqua) -debug {-test}" LINGUAS="ru -bs -ca -cs -da -de*
-el -es* -et -fi -fr* -ga -gl -hu -it* -lt -mr -nl -pt* -pt_BR* -ro* -sk -sl -sv -tr -ug -uk* -zh_CN -zh_TW" 78 KiB
[ebuild R ] kde-misc/plasma-nm-0.9.3.4:4 USE="modemmanager (-aqua) -debug -openconnect"
LINGUAS="ru -ar -bs -ca -ca@valencia -cs -da -de* -el -en_GB -eo -es* -et -fa -fi -fr* -ga -gl -hr -hu -is -it* -ja
-km -lt -lv -mai -mr -ms -nb -nds -nl -nn -pa -pl* -pt* -pt_BR* -ro* -sk -sl -sr -sr@ijekavian -sr@ijekavianlatin
-sr@latin -sv -th -tr -ug -uk* -zh_CN -zh_TW" 516 KiB
[blocks B ] app-emulation/emul-linux-x86-xlibs[-abi_x86_32(-)]
("app-emulation/emul-linux-x86-xlibs[-abi_x86_32(-)]" is blocking dev-libs/libudev-1.3,
x11-PROTO/dri3PROTO-1.0, x11-PROTO/presentPROTO-1.0, x11-PROTO/glPROTO-1.4.17, x11-PROTO/dri2PROTO-2.8-r1,
x11-PROTO/xf86driPROTO-2.1.1-r1)
[blocks B ] app-emulation/emul-linux-x86-baselibs[-abi_x86_32(-)]
("app-emulation/emul-linux-x86-baselibs[-abi_x86_32(-)]" is blocking dev-libs/libltdl-2.4.4)
* 60 ĐđĐĐĐĐĐĐ,ĐđĐđ Đ±ÑfĐ'ĐμÑ, ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½Đ¾, 174179 KiB Đ±ÑfĐ'ĐμÑ,
Đ·Đ°Đ³Ñ€ÑfĐ¶ĐμĐ½Đ¾
>=x11-PROTO/glPROTO-1.4.16-r1:=[abi_x86_32(-)?,abi_x86_64(-)?,abi_x86_x32(-)?,abi_mips_n32(-)?,abi_mips_
n64(-)?,abi_mips_o32(-)?,abi_ppc_32(-)?,abi_ppc_64(-)?,abi_s390_32(-)?,abi_s390_64(-)?]
(>=x11-PROTO/glPROTO-1.4.16-r1:=[abi_x86_64(-)]) Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ•
(media-libs/mesa-10.3.7-r1:0/0::gentoo, ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)
x11-PROTO/glPROTO Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ• (x11-drivers/xf86-video-ati-7.5.0/0/0::gentoo,
ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)
(dev-libs/libltdl-2.4.4/0/0::gentoo, ĐđĐĐĐĐĐĐ, Đ±ÑfĐ'ĐμÑ, ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½ Đ,Đ·
ebuild-Ñ•Ñ†ĐμĐ½Đ°Ñ€Đ,Ñ•) Đ·Đ°Đ²Đ,Ñ•Đ,Đ¼Đ¾Ñ•Ñ,Ñ€Đ đđĐĐĐĐĐĐ,Đ°
dev-libs/libltdl:0 Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ• (media-gfx/imagemagick-6.9.0.3/6.9.0.3::gentoo,
ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)
dev-libs/libltdl:0 Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ• (sys-devel/libtool-2.4.4/2/2::gentoo, Đ±ÑfĐ'ĐμÑ,
ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½ Đ±Đ,Đ½Đ°Ñ€Đ½Ñ·Đ¹ ĐđĐĐĐĐĐĐ,Đ°)
dev-libs/libltdl:0 Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ• (media-sound/pulseaudio-5.0-r4/0/0::gentoo,
ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)
dev-libs/libltdl:0 Đ½ĐμĐ¾Đ±Ñ...Đ¾Đ'Đ,Đ¼ Đ'Đ»Ñ• (dev-libs/redland-1.0.16/0/0::gentoo,
ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)
(app-emulation/emul-linux-x86-baselibs-20140508-r12/0/0::gentoo, ÑfÑ•Ñ,Đ°Đ½Đ¾Đ²Đ»ĐμĐ½)

```

```

D·D°D²D,Ñ•D, D¼D¾Ñ•Ñ,ÑCE D¿D°D°DµÑ,D°
    >=app-emulation/emul-linux-x86-baselibs-10.0-r1 D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(net-print/cndrvccups-capt-2.00-r2:0/0::calculate, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    ~app-emulation/emul-linux-x86-baselibs-20140508 D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(app-emulation/emul-linux-x86-xlibs-20140508:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)

(x11-proto/xf86driproto-2.1.1-r1:0/0::gentoo, D¿D°D°DµÑ, D±ÑfD´DµÑ, ÑfÑ•Ñ,D°D½D¾D²D»DµD½ D, D·
ebuild-Ñ•Ñ†DµD½D°Ñ€D,Ñ•) D·D°D²D,Ñ•D, D¼D¾Ñ•Ñ,ÑCE D¿D°D°DµÑ,D°
    x11-proto/xf86driproto D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ• (x11-libs/glamor-0.6.0-r1:0/0::gentoo,
ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    >=x11-proto/xf86driproto-2.1.0 D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(x11-base/xorg-server-1.16.4:0/1.16.1::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)

>=x11-proto/xf86driproto-2.1.1-r1:=[abi_x86_32(-)?,abi_x86_64(-)?,abi_x86_x32(-)?,abi_mips_n32(-)?,abi_mi
ps_n64(-)?,abi_mips_o32(-)?,abi_ppc_32(-)?,abi_ppc_64(-)?,abi_s390_32(-)?,abi_s390_64(-)?]
(>=x11-proto/xf86driproto-2.1.1-r1:=[abi_x86_64(-)]) D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(media-libs/mesa-10.3.7-r1:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    x11-proto/xf86driproto D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(x11-drivers/xf86-video-nouveau-1.0.11:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    x11-proto/xf86driproto D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ• (x11-drivers/xf86-video-ati-7.5.0:0/0::gentoo,
ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    x11-proto/xf86driproto D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(x11-drivers/xf86-video-intel-2.99.917:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)
    >=x11-proto/xf86driproto-2.1.1-r1:0/0=[abi_x86_64(-)] D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(media-libs/mesa-10.3.7-r1:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)

(dev-libs/libevdev-1.3.0:0/0::gentoo, D¿D°D°DµÑ, D±ÑfD´DµÑ, ÑfÑ•Ñ,D°D½D¾D²D»DµD½ D, D·
ebuild-Ñ•Ñ†DµD½D°Ñ€D,Ñ•) D·D°D²D,Ñ•D, D¼D¾Ñ•Ñ,ÑCE D¿D°D°DµÑ,D°
    >=dev-libs/libevdev-0.4 D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ•
(x11-drivers/xf86-input-synaptics-1.8.1:0/0::gentoo, D±ÑfD´DµÑ, ÑfÑ•Ñ,D°D½D¾D²D»DµD½
D±D, D½D°Ñ€D½Ñ†D¹ D¿D°D°DµÑ,)
    dev-libs/libevdev D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ• (x11-drivers/xf86-input-evdev-2.9.1:0/0::gentoo,
ÑfÑ•Ñ,D°D½D¾D²D»DµD½)

</pre>

```

## History

**03/16/2015 10:36 am - Iurii Blokhin**

DšD°D²D, Dµ D±Ñ†D»D, Ñ€D°D·D¼D°Ñ•D°D,Ñ€D¾D²D°D, D, D·D¼DµD½DµD½D,Ñ• D² use-Ñ, D»D°D³D°Ñ..., D, D·D¼DµD½DµD½D,Ñ• make.conf?

**03/16/2015 01:58 pm - D·D½D´Ñ€DµD¹ D°D¾D»D³D¾D²**

D£ D¼DµD½Ñ• D¿D¾Ñ...D¾D´D,Ñ• D°D°Ñ€Ñ, D½D°:

(x11-base/xorg-server-1.15.2-r2:0/1.15.2::gentoo, D¿D°D°DµÑ, D±ÑfD´DµÑ, ÑfÑ•Ñ,D°D½D¾D²D»DµD½ D, D· ebuild-Ñ•Ñ†DµD½D°Ñ€D,Ñ•) D·D°D²D,Ñ•D, D¼D¾Ñ•Ñ,ÑCE D¿D°D°DµÑ,D°

x11-base/xorg-server:0/1.15.2= D½DµD¾D±Ñ...D¾D´D, D¼ D´D»Ñ• (x11-drivers/xf86-video-vesa-2.3.3:0/0::gentoo, ÑfÑ•Ñ,D°D½D¾D²D»DµD½)

Iurii Blokhin wrote:

> DšD°D²D, Dµ D±Ñ†D»D, Ñ€D°D·D¼D°Ñ•D°D,Ñ€D¾D²D°D, D, D·D¼DµD½DµD½D,Ñ• D² use-Ñ, D»D°D³D°Ñ..., D, D·D¼DµD½DµD½D,Ñ• make.conf?

D·Dµ D±Ñ†D»D¾ D½D, D°D°D°D,Ñ•...

03/16/2015 06:32 pm - **ÐŸÐ°Ð²Ð¼Ð» ÐœÐ,Ñ,Ð¼Ð½Ð°Ð²**

Ð² make.conf Ñ,Ð¼»ÑŒÐ°Ð¼ Ð´Ð¼±Ð°Ð²Ð»Ð¼Ð½Ð° Ñ•Ñ,ÑŒÐ¼Ñ‡Ð°Ð°  
CFLAGS="-O2 -march=amdfam10 -pipe"

package.keywords<pre>

```
games-util/steam-launcher ~amd64  
media-sound/clementine ~amd64  
www-client/opera ~amd64  
</pre>
```

package.use<pre>

```
media-sound/amarok lastfm mtp ofa  
media-sound/clementine ayatana mtp lastfm  
#sys-fs/eudev gudev
```