

Calculate Linux - Bug # 838: `dev-python/bsddb3`

Status:	Closed	Priority:	Normal
Author:	Alexey Chernov	Category:	
Created:	11/23/2015	Assignee:	
Updated:	11/24/2015	Due date:	

Subject: `dev-python/bsddb3`

Description:

```
dev-python/bsddb3-6.0.1::gentoo
Failed to emerge dev-python/bsddb3-6.0.1, Log file:
'/var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/temp/build.log'
Jobs: 0 of 1 complete, 1 failed          Load avg: 0.63, 0.29, 0.31
* Package: dev-python/bsddb3-6.0.1
* Repository: gentoo
* Maintainer: python@gentoo.org
* USE: abi_x86_64 amd64 elibc_glibc kernel_linux python_targets_python2_7 userland_GNU
* FEATURES: preserve-libs sandbox usersandbox
Unpacking source...
Unpacking bsddb3-6.0.1.tar.gz to /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work
Source unpacked in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work
Preparing source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
* Will copy sources from /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1
* python2_7: copying to /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1-python2_7
Source prepared.
Configuring source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
include version 6.0
Source configured.
Compiling source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
* python2_7: running distutils-r1_run_phase python_compile
cp: ./build/bsddb3.egg-info and
./build/bsddb3.egg-info
are the same file
/usr/bin/python2.7 setup.py build
Detected Berkeley DB version 6.0 from db.h

***** COMPILATION ABORTED *****
```

```
!!! Timed out while closing connection to binhost
Calculating dependencies... done!
>>> Verifying ebuild manifests
>>> Emerging (1 of 1) dev-python/bsddb3-6.0.1::gentoo
>>> Failed to emerge dev-python/bsddb3-6.0.1, Log file:
>>> '/var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/temp/build.log'
>>> Jobs: 0 of 1 complete, 1 failed          Load avg: 0.63, 0.29, 0.31
* Package: dev-python/bsddb3-6.0.1
* Repository: gentoo
* Maintainer: python@gentoo.org
* USE: abi_x86_64 amd64 elibc_glibc kernel_linux python_targets_python2_7 userland_GNU
* FEATURES: preserve-libs sandbox usersandbox
>>> Unpacking source...
>>> Unpacking bsddb3-6.0.1.tar.gz to /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work
>>> Source unpacked in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work
>>> Preparing source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
* Will copy sources from /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1
* python2_7: copying to /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1-python2_7
>>> Source prepared.
>>> Configuring source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
include version 6.0
>>> Source configured.
>>> Compiling source in /var/calculate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1 ...
* python2_7: running distutils-r1_run_phase python_compile
cp: ./build/bsddb3.egg-info and
./build/bsddb3.egg-info
are the same file
/usr/bin/python2.7 setup.py build
Detected Berkeley DB version 6.0 from db.h

***** COMPILATION ABORTED *****
```

You are linking a Berkeley DB version licensed under AGPL3 or have a commercial license.

AGPL3 is a strong copyleft license and derivative works must be equivalently licensed.

You have two choices:

1. If your code is AGPL3 or you have a commercial Berkeley DB license from Oracle, please, define the environment variable 'YES_I_HAVE_THE_RIGHT_TO_USE_THIS_BERKELEY_DB_VERSION' to any value, and try to install this python library again.

2. In any other case, you have to link to a previous version of Berkeley DB. Remove Berkeley DB version 6.0 and let this python library try to locate an older version of the Berkeley DB library in your system. Alternatively, you can define the environment variable 'BERKELEYDB_DIR', or 'BERKELEYDB_INCDIR' and 'BERKELEYDB_LIBDIR', with the path of the Berkeley DB you want to use and try to install this python library again.

Sorry for the inconvenience. I am trying to protect you.

More details:

<https://forums.oracle.com/message/11184885>

<http://lists.debian.org/debian-legal/2013/07/>

***** COMPILATION ABORTED *****

* ERROR: dev-python/bsddb3-6.0.1::gentoo failed (compile phase):

* (no error message)

*

* Call stack:

* ebuild.sh, line 93: Called src_compile

* environment, line 3844: Called distutils-r1_src_compile

* environment, line 1021: Called _distutils-r1_run_foreach_impl 'python_compile'

* environment, line 333: Called python_foreach_impl 'distutils-r1_run_phase' 'python_compile'

* environment, line 335: Called multibuild_foreach_variant '_python_multibuild_wrapper' 'distutils-r1_run_phase' 'python_compile'

* environment, line 2423: Called _multibuild_run '_python_multibuild_wrapper' 'distutils-r1_run_phase' 'python_compile'

* environment, line 2421: Called _python_multibuild_wrapper 'distutils-r1_run_phase' 'python_compile'

* environment, line 599: Called distutils-r1_run_phase 'python_compile'

* environment, line 1014: Called python_compile

* environment, line 2963: Called distutils-r1_python_compile

* environment, line 893: Called esetup.py 'build'

* environment, line 1503: Called die

* The specific snippet of code:

* "\${@}" || die

*

* If you need support, post the output of `emerge --info '=dev-python/bsddb3-6.0.1::gentoo`,

* the complete build log and the output of `emerge -pqv '=dev-python/bsddb3-6.0.1::gentoo`.

* The complete build log is located at '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/temp/build.log'.

* The ebuild environment file is located at '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/temp/environment'.

* Working directory: '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1-python2_7'

* S: '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1'

* Messages for package dev-python/bsddb3-6.0.1:

* ERROR: dev-python/bsddb3-6.0.1::gentoo failed (compile phase):

* (no error message)

```

*
* Call stack:
* ebuild.sh, line 93: Called src_compile
* environment, line 3844: Called distutils-r1_src_compile
* environment, line 1021: Called _distutils-r1_run_foreach_impl 'python_compile'
* environment, line 333: Called python_foreach_impl 'distutils-r1_run_phase' 'python_compile'
* environment, line 3355: Called multibuild_foreach_variant '_python_multibuild_wrapper'
'distutils-r1_run_phase' 'python_compile'
* environment, line 2423: Called _multibuild_run '_python_multibuild_wrapper' 'distutils-r1_run_phase'
'python_compile'
* environment, line 2421: Called _python_multibuild_wrapper 'distutils-r1_run_phase' 'python_compile'
* environment, line 599: Called distutils-r1_run_phase 'python_compile'
* environment, line 1014: Called python_compile
* environment, line 2963: Called distutils-r1_python_compile
* environment, line 893: Called esetup.py 'build'
* environment, line 1503: Called die
* The specific snippet of code:
* "${@}" || die
*
* If you need support, post the output of `emerge --info '=dev-python/bsddb3-6.0.1::gentoo`,
* the complete build log and the output of `emerge -pqv '=dev-python/bsddb3-6.0.1::gentoo`.
* The complete build log is located at '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/temp/build.log'.
* The ebuild environment file is located at
'/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/temp/environment'.
* Working directory: '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1-python2_7'
* S: '/var/locate/tmp/portage/dev-python/bsddb3-6.0.1/work/bsddb3-6.0.1'
</pre>

```

```

ĐŁ Đ¼ĐµĐ½Ń• Ń•Ń,Đ¾Ń, Đ¿Đ°Đ°ĐµŃ, ŃfŃ•Ń,Đ°Đ½Đ°Đ²Đ»Đ,Đ²Đ°ĐµŃ,Ń•Ń• Đ°Đ°Đ° Đ¾Đ'Đ½Đ° Đ,Đ•
Đ•Đ°Đ²Đ,Ń•Đ,Đ¼Đ¾Ń•Ń,ĐµĐ¹ sci-biology/biopython. Đ' Ń,Đ¾Ń, Đ¼Đ¾Đ¼ĐµĐ½Ń,
Đ¾Đ±Đ½Đ¾Đ²Đ»ĐµĐ½Đ,Đµ Đ¿Ń€ĐµŃ€Đ²Đ°Đ»Đ¾Ń•ŃŒ, Đ, Ń•Đ,Ń•Ń,ĐµĐ¼Đ° Đ¾Ń•Ń,Đ°Đ»Đ°Ń•ŃŒ
Đ² Đ¿Đ¾Đ»ŃfĐ¾Đ±Đ½Đ¾Đ²Đ»Ń'Đ½Đ½Đ¾Đ¼ Ń•Đ¾Ń•Ń,Đ¾Ń•Đ½Đ,Đ, Đ¿ĐµĐ¹Ń±Đ°Ń• Ń•
Đ¿ĐµŃ€ĐµŃfŃ•Ń,Đ°Đ½Đ¾Đ²Đ,Đ» ĐµŃ' Đ½Đ°Ń±Đ,Ń•Ń,Đ¾, Đ½Đ¾ Đ¿Ń€Đ, ŃfŃ•Ń,Đ°Đ½Đ¾Đ²Đ°Đµ
sci-biology/biopython Đ¾Ń°Đ,Đ±Đ°Đ° Đ²Đ¾Ń•Đ¿Ń€Đ¾Đ,Đ•Đ²ĐµĐ»Đ°Ń•ŃŒ. Đ'Đ¾Đ•Đ¼Đ¾Đ¶Đ½Đ¾,
Đ¼Đ¾Đ¶Đ½Đ¾ Ń•Ń,Đ¾ Đ°Đ°Đ°-Ń,Đ¾ Đ,Ń•Đ¿Ń€Đ°Đ²Đ,Ń,ŃŒ, Đ,Đ»Đ, Đ'Ń€ŃfĐ¾Đ¾Đ¹ Đ¿Đ°Đ°ĐµŃ,
Đ'Đ»Ń•Ń•Ń,Đ¾Đ¾Đ¾ Ń•Đ»Đ¾Ń,Đ° Đ¿Đ¾Ń•Ń,Đ°Đ²Đ,Ń,ŃŒ?

```

Đ'Ń•Đ²Đ¾Đ' Ń•Đ±Đ¾Ń€Đ°Đ, Đ¿Ń€Đ,Đ°Ń€ĐµĐ¿Đ»Ń•ŃŹ.

History

11/23/2015 04:34 pm - Alexander Tratsevskiy

- Status changed from New to Feedback

Đ°Đ•Đ¼Đ°Ń•Đ°Đ,Ń€ŃfĐ¹Ń,Đµ dev-python/bsddb3-6.1.1, Đ¾Đ½ Ń•Ń,Đ°Đ²Đ,Ń,Ń•Ń•.

11/23/2015 06:20 pm - Alexey Chernov

Đ"Đ°, Ń• Ń•Ń,Đ¾Đ¹ Đ²ĐµŃ€Ń•Đ,ĐµĐ¹ Đ'ĐµĐ¹Ń•Ń,Đ²Đ,Ń,ĐµĐ»ŃŒĐ½Đ¾ Đ²Ń•Ń' Ń•Ń,Đ°Đ²Đ,Ń,Ń•Ń• ŃfŃ•Đ¿ĐµŃ°Đ½Đ¾. Đ'Đ¾Đ»ŃŒŃ°Đ¾Đµ Ń•Đ¿Đ°Ń•Đ,Đ±Đ¾Đ•Đ° Đ¿Đ¾Đ¼Đ¾Ń°ŃŒ!

11/24/2015 09:24 am - Alexander Tratsevskiy

- Status changed from Feedback to Closed