

Calculate Linux - Feature # 875: keyexec and xfreerdp

[illegible]
$$\mathbb{D}^{\sim\tilde{N}} \cdot \tilde{N}, \mathbb{D}^{3/4}\tilde{N} \in \mathbb{D}_{\sim\tilde{N}}.$$

Đ;Ñ€, 06 Đ°Đ; Ñ€. 2016, 12:15:08 +0300 - Đ;ĐμÑ€Đ³ĐμĐ¹ ĐμĐμĐ´Đ³Ñ,Đ³⁄₄Đ²

$\mathcal{D}'\mathcal{D}_\mu\tilde{N}\cdot\tilde{N}\mathcal{C}\mathcal{D}^{\frac{1}{2}}\mathcal{D}^\circ$
 $\mathcal{D}^\circ\tilde{N}\cdot\tilde{N},\mathcal{D}^\circ\tilde{N},\mathcal{D}_\circ$
 $\mathcal{D}'_2\mathcal{D}^\circ$
 $\mathcal{D}'\mathcal{D}^{\frac{1}{2}}\tilde{N}\cdot\tilde{N}\dots$
 $\mathcal{D}_\zeta\mathcal{D}^{\frac{3}{4}}\tilde{N}\cdot\mathcal{D}^2\mathcal{D}_\circ\mathcal{D}\gg\tilde{N}\cdot\tilde{N}\cdot$
 $\mathcal{D}^3\mathcal{D}^{\frac{3}{4}}\mathcal{D}'\mathcal{D}^{\frac{1}{2}}\tilde{N}\cdot\mathcal{D}^1$
pull request
 $\mathcal{D}'\mathcal{D}\gg\tilde{N}\cdot$
 $\tilde{N}\cdot\tilde{N},\mathcal{D}^{\frac{3}{4}}\mathcal{D}^1$
 $\tilde{N}^\dagger\mathcal{D}_\mu\mathcal{D}\gg\mathcal{D}_\circ,$

<https://github.com/FreeRDP/FreeRDP/pull/3257>

Дізн., 06 Д'Д, 2016, 13:19:34 +0300 - Alexander Tratsevskiy

[illegible]

ĐjÑ€, 06 Đ°ĐžÑ€. 2016, 13:27:03 +0300 - ĐjĐµÑ€Đ³ĐµĐ¹ ĐµĐµĐ´Đ³¼Ñ,Đ³¼Đ²

[illegible]

Đ'Ñ., 21 Đ½Đ¾Ñ•Đ±. 2017, 10:50:14 +0300 - Đ;ĐµÑƎĐ³ĐµĐ¹ ĐµĐµĐ´Đ¾Ñ,Đ¾Đ²

[illegible]

Đ'Đ°Đ»ŃŽŃ‡ĐμĐ¹/₂Đ.Đμ Đ² Đ³/₄Ń•Đ¹/₂Đ³/₄Đ²Đ¹/₂ŃfŃŽ Đ²ĐμŃ,Đ°Ńf Đ_đĐ»Đ°Đ¹/₂Đ.Ń€ŃfĐμŃ,Ń•Ń• Đ° 2.0-rc1

"Ð•ÐµÐ±Ð±¼Ð»ÑŒÑŒ¼Ð¹ Ð¿ÐŒÑŒÑŒ":<http://pastebin.calculate-linux.ru/ru/show/28491> Ð´Ð»Ñ• keyexec (Ð±ÐµÐµÐ• kstart)