

## Calculate Linux - Feature # 900: Now request for binary

<b>Status:</b>	Closed	<b>Priority:</b>	Normal
<b>Author:</b>	Adrien Duck	<b>Category:</b>	Calculate Linux Desktop
<b>Created:</b>	08/24/2016	<b>Assignee:</b>	
<b>Updated:</b>	08/26/2016	<b>Due date:</b>	
<b>Subject:</b>	Now request for binary		
<b>Description:</b>	Hi team calculate,  Is it possible to make a binary of 0ad and 0ad-data and unmask it ?  Thanks		

### History

---

**08/25/2016 10:07 am - Alexander Tratsevskiy**

0ad without 0ad-data is not compiled. Together they occupy 15% of the mirror. :-/

**08/25/2016 10:23 am - Adrien Duck**

OK.

Maybe 0ad is the engine of the game and 0ad-data just big files ?

only 0ad binary is possible ? (I think 0ad-data faster to compile than 0ad) ?

**08/25/2016 11:18 am - Alexander Tratsevskiy**

- *Status changed from New to Closed*

OK, we'll do so. Thank you.

**08/26/2016 11:18 am - Séb B**

Alexander Tratsevskiy wrote:

> OK, we'll do so. Thank you.

0ad run very smoothly, many thanks !! :)