

Calculate Linux - Bug # 96: cl-builder failture if kernel symbol CONFIG_LOCALVERSION presend

Status:	Closed	Priority:	Normal
Author:	roba roba	Category:	Calculate Overlay
Created:	01/28/2010	Assignee:	Mikhail Hiretsky
Updated:	02/03/2010	Due date:	02/03/2010
Subject:	cl-builder failture if kernel symbol CONFIG_LOCALVERSION presend		
Description:	<p>h2. overview</p> <p>cl-builder don't handle local version of kernel. It can be configured in "General setup" section of kernel menuconfig reproduce: reproducibility</p> <p>h2. Steps for reproduce error</p> <p>steps for see error: \$cl-builder --menuconfig General setup -> {enter} () local version -> {enter} wrote something {enter} \m+x \m+x \m+y wait</p> <p>h2. Solution</p> <p>Add test for local version before genkernel executed, for example apply attached patch.</p>		

History

01/28/2010 06:40 pm - roba roba

s/before genkernel/after genkernel/

02/03/2010 11:19 am - Mikhail Hiretsky

- Due date set to 02/03/2010

- Status changed from New to Closed

- Assignee set to Mikhail Hiretsky

- Target version set to 10.2

- % Done changed from 0 to 100

- Estimated time set to 0.50

Files

cl-kernel-localversion-handle.patch

236 Bytes

01/28/2010

roba roba